

D SUB FE turned contact_AWG 18-22_PL1



| _ | |
|--------------------|--|
| Part number | 09 67 000 3476 |
| Specification | D SUB FE turned contact_AWG 18-22_PL1 |
| HARTING eCatalogue | https://b2b.harting.com/09670003476 |

Image is for illustration purposes only. Please refer to product description.

Identification

| Category | Contacts |
|-----------------|---------------|
| Series | D-Sub |
| Identification | Standard |
| Type of contact | Crimp contact |

Version

| Gender | Female |
|-----------------------|-----------------|
| Manufacturing process | Turned contacts |
| Performance level | 1 |

Technical characteristics

| Conductor cross-section | 0.33 0.82 mm² |
|-------------------------|---------------|
| Conductor cross-section | AWG 22 AWG 18 |
| Contact resistance | ≤10 mΩ |
| Stripping length | 4 mm |

Material properties

| Material (contacts) | Copper alloy |
|-----------------------------|--|
| RoHS | compliant with exemption |
| RoHS exemptions | 6(c): Copper alloy containing up to 4 % lead by weight |
| ELV status | compliant with exemption |
| China RoHS | 50 |
| REACH Annex XVII substances | No |

Page 1 / 2 | Creation date 2021-03-11 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electronics GmbH | Marienwerderstraße 3 | 32339 Espelkamp | Germany Phone +49 5772 47-97200 | electronics@HARTING.com | www.HARTING.com



Material properties

| REACH ANNEX XIV substances | No |
|-----------------------------------|--------------------------------------|
| REACH SVHC substances | Yes |
| REACH SVHC substances | Lead |
| ECHA SCIP number | 339476a1-86ba-49e9-ab4b-cd336420d72a |
| | |
| Commercial data | |
| Commercial data Packaging size | 100 |
| | 100 Switzerland |
| Packaging size | |

Page 2 / 2 | Creation date 2021-03-11 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electronics GmbH | Marienwerderstraße 3 | 32339 Espelkamp | Germany Phone +49 5772 47-97200 | electronics@HARTING.com | www.HARTING.com