



## New Extended Line of Cable & Terminals

Ancor Marine Grade™ cable and terminals are designed for the harsh marine environment. Their tinned copper construction protects against corrosion and electrolysis while providing the most reliable conductivity.

### Marine Grade Cable

- Ultra flexible (Type 3) stranding resists fatigue due to vibration and flexing
- Proprietary premium vinyl insulation stays flexible even in extreme cold (-40°C)
- Resists salt water, battery acid, oil, gasoline, ultra-violet radiation, heat and abrasion
- Rated at 600 volts, 105°C dry and 75°C wet
- Exceeds all UL 1426, US Coast Guard Charter boat (CFR Title 46) and ABYC standards

### Marine Grade Terminals

- Differ from automotive terminals by being designed for the harsh marine environment
- Insulators are easy to crimp and will not split
- Barrels are designed to tightly grip the wire with the least effort



## Primary Cable 18–14 AWG

### 18 AWG (0.8 mm<sup>2</sup>)

Color	Ft	Item #
Black	35	<b>180003</b>
	100	<b>100010</b>
	250	<b>100025</b>
	500	<b>100050</b>
	1000	<b>100099</b>
Dk Blue	35	<b>180103</b>
	100	<b>100110</b>
	250	<b>100125</b>
	500	<b>100150</b>
	1000	<b>100199</b>
Brown	35	<b>180203</b>
	100	<b>100210</b>
	250	<b>100225</b>
	500	<b>100250A</b>
	1000	<b>100299</b>
Green	35	<b>180303</b>
	100	<b>100310</b>
	250	<b>100325</b>
	500	<b>100350</b>
	1000	<b>100399</b>
Grey	35	<b>180403</b>
	100	<b>100410</b>
	250	<b>100425</b>
	500	<b>100450</b>
	1000	<b>100499</b>
Orange	35	<b>180503</b>
	100	<b>100510</b>
	250	<b>100525</b>
	500	<b>100550</b>
	1000	<b>100599</b>
Pink	35	<b>180603</b>
	100	<b>100610</b>
	250	<b>100625</b>
	500	<b>100650</b>
	1000	<b>100699</b>
Purple	35	<b>180703</b>
	100	<b>100710</b>
	250	<b>100725</b>
	500	<b>100750</b>
	1000	<b>100799</b>
Red	35	<b>180803</b>
	100	<b>100810</b>
	250	<b>100825</b>
	500	<b>100850</b>
	1000	<b>100899</b>

### 18 AWG (0.8 mm<sup>2</sup>)

Color	Ft	Item #
White	35	<b>180903</b>
	100	<b>100910</b>
	250	<b>100925</b>
	500	<b>100950</b>
	1000	<b>100999</b>
Yellow	35	<b>181003</b>
	100	<b>101010</b>
	250	<b>101025</b>
	500	<b>101050</b>
	1000	<b>101099</b>

### 16 AWG (1 mm<sup>2</sup>)

Color	Ft	Item #
Lt Blue	100	<b>101910</b>
	250	<b>101925</b>
	500	<b>101950</b>
Black	25	<b>182003</b>
	100	<b>102010</b>
	250	<b>102025</b>
	500	<b>102050</b>
	1000	<b>102099</b>
Dk Blue	25	<b>182103</b>
	100	<b>102110</b>
	250	<b>102125</b>
	500	<b>102150</b>
	1000	<b>102199</b>
Brown	25	<b>182203</b>
	100	<b>102210</b>
	250	<b>102225</b>
	500	<b>102250</b>
	1000	<b>102299</b>
Green	25	<b>182303</b>
	100	<b>102310</b>
	250	<b>102325AA</b>
	500	<b>102350</b>
	1000	<b>102399</b>
Grey	25	<b>182403</b>
	100	<b>102410</b>
	250	<b>102425</b>
	500	<b>102450</b>
	1000	<b>102499</b>

### 16 AWG (1 mm<sup>2</sup>)

Color	Ft	Item #
Orange	25	<b>182503</b>
	100	<b>102510</b>
	250	<b>102525</b>
	500	<b>102550</b>
	1000	<b>102599</b>
Pink	25	<b>182603</b>
	100	<b>102610</b>
	250	<b>102625</b>
	500	<b>102650</b>
	1000	<b>102699</b>
Purple	25	<b>182703</b>
	100	<b>102710</b>
	250	<b>102725</b>
	500	<b>102750</b>
	1000	<b>102799</b>
Red	25	<b>182803</b>
	100	<b>102810</b>
	250	<b>102825</b>
	500	<b>102850</b>
	1000	<b>102899</b>
White	25	<b>182903</b>
	100	<b>102910</b>
	250	<b>102925</b>
	500	<b>102950</b>
	1000	<b>102999</b>
Yellow	25	<b>183003</b>
	100	<b>103010</b>
	250	<b>103025</b>
	500	<b>103050</b>
	1000	<b>103099</b>

### 14 AWG (2 mm<sup>2</sup>)

Color	Ft	Item #
Lt Blue	100	<b>103910</b>
	250	<b>103925</b>
	500	<b>103950</b>
Black	18	<b>184003</b>
	100	<b>104010</b>
	250	<b>104025</b>
	500	<b>104050</b>
	1000	<b>104099</b>
Dk Blue	18	<b>184103</b>
	100	<b>104110</b>
	250	<b>104125</b>
	500	<b>104150</b>
	1000	<b>104199</b>

### 14 AWG (2 mm<sup>2</sup>)

Color	Ft	Item #
Brown	18	<b>184203</b>
	100	<b>104210</b>
	250	<b>104225</b>
	500	<b>104250</b>
	1000	<b>104299</b>
Green	18	<b>184303</b>
	100	<b>104310</b>
	250	<b>104325</b>
	500	<b>104350</b>
	1000	<b>104399</b>
Grey	18	<b>184403</b>
	100	<b>104410</b>
	250	<b>104425</b>
	500	<b>104450</b>
	1000	<b>104499</b>
Orange	18	<b>184503</b>
	100	<b>104510</b>
	250	<b>104525</b>
	500	<b>104550</b>
	1000	<b>104599</b>
Pink	18	<b>184603</b>
	100	<b>104610</b>
	250	<b>104625</b>
	500	<b>104650</b>
	1000	<b>104699</b>
Purple	18	<b>184703</b>
	100	<b>104710</b>
	250	<b>104725</b>
	500	<b>104750</b>
	1000	<b>104799</b>
Red	18	<b>184803</b>
	100	<b>104810</b>
	250	<b>104825</b>
	500	<b>104850</b>
	1000	<b>104899</b>
White	18	<b>184903</b>
	100	<b>104910</b>
	250	<b>104925</b>
	500	<b>104950</b>
	1000	<b>104999</b>
Yellow	18	<b>185003</b>
	100	<b>105010</b>
	250	<b>105025</b>
	500	<b>105050</b>
	1000	<b>105099</b>



# Primary Cable

## Primary Cable 12–6 AWG

### 12 AWG (3 mm<sup>2</sup>)

Color	Ft	Item #
Black	12	<b>186003</b>
	25	<b>106002</b>
	100	<b>106010</b>
	250	<b>106025</b>
	400	<b>106040</b>
	1000	<b>106099</b>
Dk Blue	25	<b>106102</b>
	100	<b>106110</b>
	250	<b>106125</b>
	400	<b>106140</b>
	1000	<b>106199</b>
Brown	25	<b>106202</b>
	100	<b>106210</b>
	250	<b>106225</b>
	400	<b>106240</b>
	1000	<b>106299</b>
Green	25	<b>106302</b>
	100	<b>106310</b>
	250	<b>106325</b>
	400	<b>106340</b>
	1000	<b>106399</b>
Orange	25	<b>106502</b>
	100	<b>106510</b>
	250	<b>106525</b>
	400	<b>106540</b>
	1000	<b>106599</b>
Pink	25	<b>106602</b>
	100	<b>106610</b>
	250	<b>106625</b>
	400	<b>106640</b>
Purple	25	<b>106702</b>
	100	<b>106710</b>
	250	<b>106725</b>
	400	<b>106740</b>
Red	12	<b>186803</b>
	25	<b>106802</b>
	100	<b>106810</b>
	250	<b>106825</b>
	400	<b>106840</b>
	1000	<b>106899</b>

### 12 AWG (3 mm<sup>2</sup>)

Color	Ft	Item #
White	25	<b>106902</b>
	100	<b>106910</b>
	250	<b>106925</b>
	400	<b>106940</b>
	1000	<b>106999</b>
	Yellow	25
100		<b>107010</b>
250		<b>107025</b>
400		<b>107040</b>
1000		<b>107099</b>

### 10 AWG (5 mm<sup>2</sup>)

Color	Ft	Item #
Black	8	<b>188003</b>
	25	<b>108002</b>
	100	<b>108010</b>
	250	<b>108025</b>
Dk Blue	500	<b>108050</b>
	1000	<b>108099</b>
	25	<b>108102</b>
	100	<b>108110</b>
Brown	250	<b>108125</b>
	500	<b>108150</b>
	1000	<b>108199</b>
	25	<b>108202</b>
	100	<b>108210</b>
Green	250	<b>108225</b>
	500	<b>108250</b>
	1000	<b>108299</b>
	25	<b>108302</b>
	100	<b>108310</b>
Orange	250	<b>108325</b>
	500	<b>108350</b>
	1000	<b>108399</b>
	25	<b>108502</b>
	100	<b>108510</b>
Red	250	<b>108525</b>
	500	<b>108550</b>
	1000	<b>108599</b>
	8	<b>188803</b>
	25	<b>108802</b>
	100	<b>108810</b>
Red	250	<b>108825</b>
	500	<b>108850</b>
	1000	<b>108899</b>

### 10 AWG (5 mm<sup>2</sup>)

Color	Ft	Item #
White	25	<b>108902</b>
	100	<b>108910</b>
	250	<b>108925</b>
	500	<b>108950</b>
	1000	<b>108999</b>
	Yellow	25
100		<b>109010</b>
250		<b>109025</b>
500		<b>109050</b>
1000		<b>109099</b>
Green w/ Yellow Strip	25	<b>109302</b>
	100	<b>109310</b>
	250	<b>109325</b>
	500	<b>109350</b>
	1000	<b>109399</b>

### 8 AWG (8 mm<sup>2</sup>)

Color	Ft	Item #
Black	25	<b>111002</b>
	50	<b>111005</b>
	100	<b>111010</b>
	250	<b>111025</b>
	500	<b>111050</b>
Green	1000	<b>111099</b>
	25	<b>111302</b>
	50	<b>111305</b>
	100	<b>111310</b>
	250	<b>111325</b>
Red	500	<b>111350</b>
	1000	<b>111399</b>
	25	<b>111502</b>
	50	<b>111505</b>
	100	<b>111510</b>
White	250	<b>111525</b>
	500	<b>111550</b>
	1000	<b>111599</b>
	25	<b>111702</b>
	50	<b>111705</b>
White	100	<b>111710</b>
	250	<b>111725</b>
	500	<b>111750</b>
	1000	<b>111799</b>

### 8 AWG (8 mm<sup>2</sup>)

Color	Ft	Item #
Yellow	25	<b>111902</b>
	50	<b>111905</b>
	100	<b>111910</b>
	250	<b>111925</b>
	500	<b>111950</b>
	1000	<b>111999</b>

### 6 AWG (13 mm<sup>2</sup>)

Color	Ft	Item #
Black	25	<b>112002</b>
	50	<b>112005</b>
	100	<b>112010</b>
	250	<b>112025</b>
	500	<b>111050</b>
	750	<b>111075</b>
Green	25	<b>112302</b>
	50	<b>112305</b>
	100	<b>112310</b>
	250	<b>112325</b>
	500	<b>112350</b>
Red	750	<b>112375</b>
	25	<b>112502</b>
	50	<b>112505</b>
	100	<b>112510</b>
	250	<b>112525</b>
White	500	<b>112550</b>
	750	<b>112575</b>
	25	<b>112702</b>
	50	<b>112705</b>
	100	<b>112710</b>
Yellow	250	<b>112725</b>
	500	<b>112750</b>
	750	<b>112775</b>
	25	<b>112902</b>
	50	<b>112905</b>
Yellow	100	<b>112910</b>
	250	<b>112925</b>
	500	<b>112950</b>
	750	<b>112975</b>



## Battery Cable 4–4/0 AWG

### 4 AWG (19 mm<sup>2</sup>)

Color	Ft	Item #
Black	25	<b>113002</b>
	50	<b>113005</b>
	100	<b>113010</b>
	250	<b>113025</b>
	500	<b>113050</b>
Red	25	<b>113502</b>
	50	<b>113505</b>
	100	<b>113510</b>
	250	<b>113525</b>
	500	<b>113550</b>
Yellow	25	<b>113902</b>
	50	<b>113905</b>
	100	<b>113910</b>
	250	<b>113925</b>
	500	<b>113950</b>

### 2 AWG (32 mm<sup>2</sup>)

Color	Ft	Item #
Black	25	<b>114002</b>
	50	<b>114005</b>
	100	<b>114010</b>
	250	<b>114025</b>
	400	<b>114040</b>
Red	25	<b>114502</b>
	50	<b>114505</b>
	100	<b>114510</b>
	250	<b>114525</b>
	400	<b>114540</b>
Yellow	25	<b>114902</b>
	50	<b>114905</b>
	100	<b>114910</b>
	250	<b>114925</b>
	400	<b>114940</b>

### 1 AWG (40 mm<sup>2</sup>)

Color	Ft	Item #
Black	25	<b>115002</b>
	50	<b>115005</b>
	100	<b>115010</b>
	300	<b>115030</b>
Red	25	<b>115502</b>
	50	<b>115505</b>
	100	<b>115510</b>
Yellow	25	<b>115902</b>
	50	<b>115905</b>
	100	<b>115910</b>
	300	<b>115930</b>

### 1/0 AWG (50 mm<sup>2</sup>)

Color	Ft	Item #
Black	25	<b>116002</b>
	50	<b>116005</b>
	100	<b>116010</b>
	250	<b>116025</b>
Red	25	<b>116502</b>
	50	<b>116505</b>
	100	<b>116510</b>
Yellow	25	<b>116902</b>
	50	<b>116905</b>
	100	<b>116910</b>
	250	<b>116925</b>

### 2/0 AWG (62 mm<sup>2</sup>)

Color	Ft	Item #
Black	25	<b>117002</b>
	50	<b>117005</b>
	100	<b>117010</b>
	200	<b>117020</b>
Red	25	<b>117502</b>
	50	<b>117505</b>
	100	<b>117510</b>
Yellow	25	<b>117902</b>
	50	<b>117905</b>
	100	<b>117910</b>
	200	<b>117920</b>

### 3/0 AWG (81 mm<sup>2</sup>)

Color	Ft	Item #
Black	25	<b>118002</b>
	50	<b>118005</b>
	100	<b>118010</b>
	150	<b>118015</b>
Red	25	<b>118502</b>
	50	<b>118505</b>
	100	<b>118510</b>
Yellow	25	<b>118902</b>
	50	<b>118905</b>
	150	<b>118915</b>

### 4/0 AWG (103 mm<sup>2</sup>)

Color	Ft	Item #
Black	25	<b>119002</b>
	50	<b>119005</b>
	100	<b>119010</b>
Red	25	<b>119502</b>
	50	<b>119505</b>
	100	<b>119510</b>
Yellow	25	<b>119902</b>
	50	<b>119905</b>
	100	<b>119910</b>

Additional wire types are available and can be found in our catalog or online at [marinco.com](http://marinco.com)



# Battery Cable & Heat Shrink Terminals

## Heat Shrink Ring Terminals

UL 486C



AWG	Screw Size	Qty/ Pkg	Item #
22-18 0.3-0.8 mm <sup>2</sup>	#8 4 mm	3	310203
		25	310225
		100	310299
	#10 4.8 mm	3	310303
		25	310325
		100	310399
	1/4" 6.4 mm	3	310403
		25	310425
		100	310499
5/16" 7.9 mm	3	310503	
	25	310525	
	100	310599	
3/8" 9.5 mm	3	310603	
	25	310625	
	100	310699	
16-14 1-2 mm <sup>2</sup>	#8 4 mm	3	311203
		25	311225
		100	311299
	#10 4.8 mm	3	311303
		25	311325
		100	311399
	1/4" 6.4 mm	3	311403
		25	311425
		100	311499
5/16" 7.9 mm	3	311503	
	25	311525	
	100	311599	
3/8" 9.5 mm	3	311603	
	25	311625	
	100	311699	
12-10 3-5 mm <sup>2</sup>	#8 4 mm	3	312203
		25	312225
		100	312299
	#10 4.8 mm	3	312303
		25	312325
		100	312399
	1/4" 6.4 mm	3	312403
		25	312425
		100	312499
5/16" 7.9 mm	3	312503	
	25	312525	
	100	312599	
3/8" 9.5 mm	3	312603	
	25	312625	
	100	312699	

## Heat Shrink Spade Terminals

UL 486A



AWG	Screw Size	Qty/ Pkg	Item #
22-18 0.3-0.8 mm <sup>2</sup>	#8 4 mm	3	313203
		25	313225
		100	313299
16-14 1-2 mm <sup>2</sup>	#8 4 mm	3	314203
		25	314225
		100	314299
	#10 4.8 mm	3	314303
		25	314325
		100	314399
12-10 3-5 mm <sup>2</sup>	#8 4 mm	3	315203
		25	315225
		100	315299
	#10 4.8 mm	3	315303
		25	315325
		100	315399

## Heat Shrink Butt Connectors

UL 486C



AWG	Qty/ Pkg	Item #
22-18 0.3-0.8 mm <sup>2</sup>	3	309003
	25	309025
	100	309099
16-14 1-2 mm <sup>2</sup>	500	309002
	3	309103
	25	309125
12-10 3-5 mm <sup>2</sup>	100	309199
	500	309102
	3	309203
	25	309225
	100	309299
	500	309202

## Heat Shrink Snap Plugs

UL 310



AWG	Gender	Qty/ Pkg	Item #
22-18 0.3-0.8 mm <sup>2</sup>	Female	3	318803
		25	318825
		100	318899
	Male	3	318903
		25	318925
		100	318999
16-14 1-2 mm <sup>2</sup>	Female	3	319803
		25	319825
		100	319899
	Male	3	319903
		25	319925
		100	319999

## Heat Shrink Disconnects

.250 (6.4 mm) tab size  
UL 310



AWG	Gender	Qty/ Pkg	Item #
22-18 0.3-0.8 mm <sup>2</sup>	Female	3	316803
		25	316825
		100	316899
	Male	3	316903
		25	316925
		100	316999
16-14 1-2 mm <sup>2</sup>	Female	3	317803
		25	317825
		100	317899
	Male	3	317903
		25	317925
		100	317999

## Splash Proof Snap Plugs with Inserts



AWG	Qty/ Pkg	Item #
22-18 0.3-0.8 mm <sup>2</sup>	4	231480
	25	211480
16-14 1-2 mm <sup>2</sup>	4	231490
	25	211490

## Nylon Ring Terminals

Nylon insulated with insulation grip

Double crimp, funnel entry

UL 486C

AWG	Screw Size	Qty/ Pkg	Item #
<b>22-18</b> 0.3-0.8 mm <sup>2</sup>	#6 3.6 mm	6	<b>230201</b>
		25	<b>210201</b>
		100	<b>220202</b>
	#8 4 mm	6	<b>230202</b>
		25	<b>210202</b>
		100	<b>220202</b>
	#10 4.8 mm	6	<b>230203</b>
		25	<b>210203</b>
		100	<b>220203</b>
	1/4" 6.4 mm	5	<b>230204</b>
		25	<b>210204</b>
		100	<b>220204</b>
5/16" 7.9 mm	5	<b>230205</b>	
	25	<b>210205</b>	
	100	<b>220205</b>	
3/8" 9.5 mm	5	<b>230206</b>	
	25	<b>210206</b>	
	100	<b>220206</b>	
<b>16-14</b> 1-2 mm <sup>2</sup>	#6 3.6 mm	6	<b>230211</b>
		25	<b>210211</b>
		100	<b>220212</b>
	#8 4 mm	6	<b>230212</b>
		25	<b>210212</b>
		100	<b>220212</b>
	#10 4.8 mm	6	<b>230213</b>
		25	<b>210213</b>
		100	<b>220213</b>
	1/4" 6.4 mm	5	<b>230214</b>
		25	<b>210214</b>
		100	<b>220214</b>
5/16" 7.9 mm	5	<b>230215</b>	
	25	<b>210215</b>	
	100	<b>220215</b>	
3/8" 9.5 mm	5	<b>230216</b>	
	25	<b>210216</b>	
	1000	<b>220216</b>	

AWG	Screw Size	Qty/ Pkg	Item #
<b>12-10</b> 3-5 mm <sup>2</sup>	#6 3.6 mm	5	<b>230221</b>
		25	<b>210221</b>
		100	<b>220222</b>
	#8 4 mm	5	<b>230222</b>
		25	<b>210222</b>
		100	<b>220222</b>
	#10 4.8 mm	5	<b>230223</b>
		25	<b>210223</b>
		100	<b>220223</b>
	1/4" 6.4 mm	4	<b>230224</b>
		25	<b>210224</b>
		100	<b>220224</b>
5/16" 7.9 mm	4	<b>230225</b>	
	25	<b>210225</b>	
	100	<b>220225</b>	
3/8" 9.5 mm	4	<b>230226</b>	
	25	<b>210226</b>	
	100	<b>220226</b>	
1/2" 12.7 mm	3	<b>230227</b>	
	25	<b>210227</b>	
	50	<b>220227</b>	
<b>8</b> 8 mm <sup>2</sup>	#10 4.8 mm	2	<b>230233</b>
		25	<b>210233</b>
		100	<b>222233</b>
	1/4" 6.4 mm	2	<b>230234</b>
		25	<b>210234</b>
		100	<b>222234</b>
	5/16" 7.9 mm	2	<b>230235</b>
		25	<b>210235</b>
		100	<b>222235</b>
	3/8" 9.5 mm	2	<b>230236</b>
		25	<b>210236</b>
		100	<b>222236</b>
1/2" 12.7 mm	1	<b>230237</b>	
	25	<b>210237</b>	
	100	<b>222237</b>	

AWG	Screw Size	Qty/ Pkg	Item #
<b>6</b> 13 mm <sup>2</sup>	#10 4.8 mm	1	<b>230243</b>
		25	<b>210243</b>
		100	<b>222243</b>
	1/4" 6.4 mm	1	<b>230244</b>
		25	<b>210244</b>
		100	<b>222244</b>
5/16" 7.9 mm	1	<b>230245</b>	
	25	<b>210245</b>	
	100	<b>222245</b>	
3/8" 9.5 mm	1	<b>230246</b>	
	25	<b>210246</b>	
	100	<b>222246</b>	
1/2" 12.7 mm	1	<b>230247</b>	
	25	<b>210247</b>	
	100	<b>222247</b>	
<b>4</b> 21 mm <sup>2</sup>	#10 4.8 mm	1	<b>230253</b>
		25	<b>210253</b>
		100	<b>222253</b>
	1/4" 6.4 mm	1	<b>230254</b>
		25	<b>210254</b>
		100	<b>222254</b>
5/16" 7.9 mm	1	<b>230255</b>	
	25	<b>210255</b>	
	100	<b>222255</b>	
3/8" 9.5 mm	1	<b>230256</b>	
	25	<b>210256</b>	
	100	<b>222256</b>	
1/2" 12.7 mm	1	<b>230257</b>	
	25	<b>210257</b>	
	100	<b>222257</b>	



# Nylon Terminals

## Nylon Flanged Spades

Nylon insulated with insulation grip  
Double crimp, funnel entry  
UL 486C



AWG	Screw Size		Qty/ Pkg	Item #
<b>22-18</b> 0.3-0.8 mm <sup>2</sup>	#6 3.6 mm	6	<b>230301</b>	
		25	<b>210301</b>	
		100	<b>220302</b>	
	#8 4 mm	6	<b>230302</b>	
		25	<b>210302</b>	
		100	<b>220302</b>	
#10 4.8 mm	6	<b>230303</b>		
	25	<b>210303</b>		
	100	<b>220303</b>		
<b>16-14</b> 1-2 mm <sup>2</sup>	#6 3.6 mm	6	<b>230311</b>	
		25	<b>210311</b>	
		100	<b>220312</b>	
	#8 4 mm	6	<b>230312</b>	
		25	<b>210312</b>	
		100	<b>220312</b>	
#10 4.8 mm	6	<b>230313</b>		
	25	<b>210313</b>		
	100	<b>220313</b>		
<b>12-10</b> 3-5 mm <sup>2</sup>	#6 3.6 mm	5	<b>230321</b>	
		25	<b>210321</b>	
		100	<b>220322</b>	
	#8 4 mm	5	<b>230322</b>	
		25	<b>210322</b>	
		100	<b>220322</b>	
#10 4.8 mm	5	<b>230323</b>		
	25	<b>210323</b>		
	100	<b>220323</b>		

## Nylon Single Crimp Butt Connectors

Nylon insulated seamless  
UL 486C



AWG	Qty/ Pkg	Item #
<b>22-18</b> 0.3-0.8 mm <sup>2</sup>	7	<b>230100</b>
	25	<b>210100</b>
	100	<b>220100</b>
	500	<b>222100</b>
<b>16-14</b> 1-2 mm <sup>2</sup>	7	<b>230110</b>
	25	<b>210110</b>
	100	<b>220110</b>
	500	<b>222110</b>
<b>12-10</b> 3-5 mm <sup>2</sup>	5	<b>230120</b>
	25	<b>210120</b>
	100	<b>220120</b>
	500	<b>222120</b>

## Nylon Double Crimp Butt Connectors

Nylon insulated with insulation grip  
Funnel entry  
UL 486C



AWG	Qty/ Pkg	Item #
<b>22-18</b> 0.3-0.8 mm <sup>2</sup>	3	<b>230161</b>
	25	<b>210161</b>
	100	<b>220161</b>
	500	<b>222161</b>
<b>16-14</b> 1-2 mm <sup>2</sup>	3	<b>230162</b>
	25	<b>210162</b>
	100	<b>220162</b>
	500	<b>222162</b>
<b>12-10</b> 3-5 mm <sup>2</sup>	2	<b>230163</b>
	25	<b>210163</b>
	100	<b>220163</b>
	500	<b>222163</b>

## Nylon Fully Insulated Disconnects

.250 (6.4 mm) tab size  
Nylon insulated with insulation grip  
Double crimp, funnel entry  
UL 310



AWG	Gender	Qty/ Pkg	Item #
<b>22-18</b> 0.3-0.8 mm <sup>2</sup>	Female	4	<b>231408</b>
		25	<b>211408</b>
		100	<b>221408</b>
	Male	4	<b>231409</b>
		25	<b>211409</b>
		100	<b>221409</b>
<b>16-14</b> 1-2 mm <sup>2</sup>	Female	4	<b>231418</b>
		25	<b>211418</b>
		100	<b>221418</b>
	Male	4	<b>231419</b>
		25	<b>211419</b>
		100	<b>221419</b>
<b>12-10</b> 3-5 mm <sup>2</sup>	Female	3	<b>231428</b>
		25	<b>211428</b>
		100	<b>221428</b>
	Male	3	<b>231429</b>
		25	<b>211429</b>
		100	<b>221429</b>

## Nylon Disconnects

.250 (6.4 mm) tab size  
Nylon insulated with insulation grip  
Double crimp, funnel entry  
UL 310



AWG	Gender	Qty/ Pkg	Item #
<b>22-18</b> 0.3-0.8 mm <sup>2</sup>	Female	4	<b>230808</b>
		25	<b>210808</b>
		100	<b>220808</b>
	Male	4	<b>230809</b>
		25	<b>210809</b>
		100	<b>220809</b>
<b>16-14</b> 1-2 mm <sup>2</sup>	Female	4	<b>230818</b>
		25	<b>210818</b>
		100	<b>220818</b>
	Male	4	<b>230819</b>
		25	<b>210819</b>
		100	<b>220819</b>
<b>12-10</b> 3-5 mm <sup>2</sup>	Female	3	<b>230828</b>
		25	<b>210828</b>
		100	<b>220828</b>
	Male	3	<b>230829</b>
		25	<b>210829</b>
		100	<b>220829</b>

## Nylon Snap Plugs

Nylon insulated with insulation grip  
Double crimp, funnel entry  
UL 310



AWG	Gender	Qty/ Pkg	Item #
<b>22-18</b> 0.3-0.8 mm <sup>2</sup>	Female	4	<b>230708</b>
		25	<b>210708</b>
		100	<b>220708</b>
	Male	4	<b>230709</b>
		25	<b>210709</b>
		100	<b>220709</b>
<b>16-14</b> 1-2 mm <sup>2</sup>	Female	4	<b>230718</b>
		25	<b>210718</b>
		100	<b>220718</b>
	Male	4	<b>230719</b>
		25	<b>210719</b>
		100	<b>220719</b>

## Nylon Multi-Stack Connectors

.250 (6.4mm) tab size  
Nylon insulated with insulation grip  
Double crimp, funnel entry  
UL 310



AWG	Qty/ Pkg	Item #
<b>16-14</b> 1-2 mm <sup>2</sup>	3	<b>230612</b>
	25	<b>210612</b>
	100	<b>220612</b>

## Nylon 3-Way Connectors

Nylon insulated with insulation grip  
Double crimp, funnel entry  
UL 310



AWG	Qty/ Pkg	Item #
<b>16-14</b> 1-2 mm <sup>2</sup>	1	<b>230510</b>
	25	<b>210510</b>
<b>12-10</b> 3-5 mm <sup>2</sup>	1	<b>230520</b>
	25	<b>210520</b>

## Double Male-Female Adapter

.250 tab 6.4 mm



Qty/ Pkg	Item #
5	<b>230613</b>
25	<b>210613</b>

## Vinyl Step Down Butt Connectors

Vinyl insulated  
UL 486C



AWG	Qty/ Pkg	Item #
<b>16-14 to 22-18</b> 1-2 to 0.3-0.8 mm <sup>2</sup>	3	<b>230164</b>
	25	<b>210164</b>
	100	<b>220164</b>
<b>12-10 to 16-14</b> 3-5 to 1-2 mm <sup>2</sup>	3	<b>230165</b>
	25	<b>210165</b>
<b>8 to 12-10</b> 8 to 3-5 mm <sup>2</sup>	3	<b>230166</b>
	25	<b>210166</b>


## Vinyl Butt Connectors

Vinyl insulated  
UL 486C



AWG	Qty/ Pkg	Item #
<b>8</b> 8 mm <sup>2</sup>	2	<b>230130</b>
	25	<b>210130</b>
	100	<b>222130</b>
<b>6</b> 13 mm <sup>2</sup>	1	<b>230140</b>
	25	<b>210140</b>
	100	<b>222140</b>
<b>4</b> 21 mm <sup>2</sup>	1	<b>230150</b>
	25	<b>210150</b>
	100	<b>222150</b>

## Splice Connects



AWG	Qty/ Pkg	Item #
<b>18-14</b> 0.8-2 mm <sup>2</sup>	4	<b>230615</b>
	25	<b>210615</b>
	100	<b>220615</b>