



New Extended Line of Cable & Terminals

Ancor Marine Grade™ cable and terminals are designed for the harsh marine environment. Their tinned copper construction protects against corrosion and electrolysis while providing the most reliable conductivity.

Marine Grade Cable

- Ultra flexible (Type 3) stranding resists fatigue due to vibration and flexing
- Proprietary premium vinyl insulation stays flexible even in extreme cold (-40°C)
- Resists salt water, battery acid, oil, gasoline, ultra-violet radiation, heat and abrasion
- Rated at 600 volts, 105°C dry and 75°C wet
- Exceeds all UL 1426, US Coast Guard Charter boat (CFR Title 46) and ABYC standards

Marine Grade Terminals

- Differ from automotive terminals by being designed for the harsh marine environment
- Insulators are easy to crimp and will not split
- Barrels are designed to tightly grip the wire with the least effort



Primary Cable 18–14 AWG

18 AWG (0.8 mm ²)			18 AWG (0.8 mm ²)			16 AWG (1 mm ²)			14 AWG (2 mm ²)		
Color	Ft	Item #	Color	Ft	Item #	Color	Ft	Item #	Color	Ft	Item #
Black	35	180003	White	35	180903	Orange	25	182503	Brown	18	184203
	100	100010		100	100910		100	102510		100	104210
	250	100025		250	100925		250	102525		250	104225
	500	100050		500	100950		500	102550		500	104250
	1000	100099		1000	100999		1000	102599		1000	104299
Dk Blue	35	180103	Yellow	35	181003	Pink	25	182603	Green	18	184303
	100	100110		100	101010		100	102610		100	104310
	250	100125		250	101025		250	102625		250	104325
	500	100150		500	101050		500	102650		500	104350
	1000	100199		1000	101099		1000	102699		1000	104399
Brown	35	180203	16 AWG (1 mm²)			Purple	25	182703	Grey	18	184403
	100	100210	Color	Ft	Item #		100	102710		100	104410
	250	100225	Lt Blue	100	101910		250	102725		250	104425
	500	100250A		250	101925		500	102750		500	104450
	1000	100299		500	101950		1000	102799		1000	104499
Green	35	180303	Black	25	182003	Red	25	182803	Orange	18	184503
	100	100310		100	102010		100	102810		100	104510
	250	100325		250	102025		250	102825		250	104525
	500	100350		500	102050		500	102850		500	104550
	1000	100399		1000	102099		1000	102899		1000	104599
Grey	35	180403	Dk Blue	25	182103	White	25	182903	Pink	18	184603
	100	100410		100	102110		100	102910		100	104610
	250	100425		250	102125		250	102925		250	104625
	500	100450		500	102150		500	102950		500	104650
	1000	100499		1000	102199		1000	102999		1000	104699
Orange	35	180503	Brown	25	182203	Yellow	25	183003	Purple	18	184703
	100	100510		100	102210		100	103010		100	104710
	250	100525		250	102225		250	103025		250	104725
	500	100550		500	102250		500	103050		500	104750
	1000	100599		1000	102299		1000	103099		1000	104799
Pink	35	180603	Green	25	182303	14 AWG (2 mm²)			Red	18	184803
	100	100610		100	102310	Color	Ft	Item #		100	104810
	250	100625		250	102325AA	Lt Blue	100	103910		250	104825
	500	100650		500	102350		250	103925		500	104850
	1000	100699		1000	102399		500	103950		1000	104899
Purple	35	180703	Grey	25	182403	Black	18	184003	White	18	184903
	100	100710		100	102410		100	104010		100	104910
	250	100725		250	102425		250	104025		250	104925
	500	100750		500	102450		500	104050		500	104950
	1000	100799		1000	102499		1000	104099		1000	104999
Red	35	180803				Dk Blue	18	184103	Yellow	18	185003
	100	100810					100	104110		100	105010
	250	100825					250	104125		250	105025
	500	100850					500	104150		500	105050
	1000	100899					1000	104199		1000	105099



Primary Cable

Primary Cable 12–6 AWG

12 AWG (3 mm²)

Color	Ft	Item #
Black	12	186003
	25	106002
	100	106010
	250	106025
	400	106040
	1000	106099
Dk Blue	25	106102
	100	106110
	250	106125
	400	106140
	1000	106199
Brown	25	106202
	100	106210
	250	106225
	400	106240
	1000	106299
Green	25	106302
	100	106310
	250	106325
	400	106340
	1000	106399
Orange	25	106502
	100	106510
	250	106525
	400	106540
	1000	106599
Pink	25	106602
	100	106610
	250	106625
	400	106640
Purple	25	106702
	100	106710
	250	106725
	400	106740
Red	12	186803
	25	106802
	100	106810
	250	106825
	400	106840
	1000	106899

12 AWG (3 mm²)

Color	Ft	Item #
White	25	106902
	100	106910
	250	106925
	400	106940
	1000	106999
Yellow	25	107002
	100	107010
	250	107025
	400	107040
	1000	107099

10 AWG (5 mm²)

Color	Ft	Item #
Black	8	188003
	25	108002
	100	108010
Dk Blue	250	108025
	500	108050
	1000	108099
	25	108102
Orange	100	108110
	250	108125
	500	108150
	1000	108199
	25	108202
Brown	100	108210
	250	108225
	500	108250
	1000	108299
	25	108302
Green	100	108310
	250	108325
	500	108350
	1000	108399
	25	108502
Orange	100	108510
	250	108525
	500	108550
	1000	108599
	8	188803
Red	25	108802
	100	108810
	250	108825
	500	108850
	1000	108899

10 AWG (5 mm²)

Color	Ft	Item #
White	25	108902
	100	108910
	250	108925
	500	108950
	1000	108999
Yellow	25	109002
	100	109010
	250	109025
	500	109050
	1000	109099
Green w/ Yellow Strip	25	109302
	100	109310
	250	109325
	500	109350
	1000	109399

8 AWG (8 mm²)

Color	Ft	Item #
Black	25	111002
	50	111005
	100	111010
	250	111025
	500	111050
Green	1000	111099
	25	111302
	50	111305
	100	111310
	250	111325
Red	500	111350
	1000	111399
	25	111502
	50	111505
	100	111510
White	250	111525
	500	111550
	1000	111599
	25	111702
	50	111705
Yellow	100	111710
	250	111725
	500	111750
	1000	111799

8 AWG (8 mm²)

Color	Ft	Item #
Yellow	25	111902
	50	111905
	100	111910
	250	111925
	500	111950
	1000	111999

6 AWG (13 mm²)

Color	Ft	Item #
Black	25	112002
	50	112005
	100	112010
	250	112025
	500	111050
	750	111075
Green	25	112302
	50	112305
	100	112310
	250	112325
	500	112350
Red	750	112375
	25	112502
	50	112505
	100	112510
	250	112525
White	500	112550
	750	112575
	25	112702
	50	112705
	100	112710
Yellow	250	112725
	500	112750
	750	112775
	25	112902
	50	112905
Orange	100	112910
	250	112925
	500	112950
	750	112975



Battery Cable 4–4/0 AWG

4 AWG (19 mm²)

Color	Ft	Item #
Black	25	113002
	50	113005
	100	113010
	250	113025
	500	113050
Red	25	113502
	50	113505
	100	113510
	250	113525
	500	113550
Yellow	25	113902
	50	113905
	100	113910
	250	113925
	500	113950

2 AWG (32 mm²)

Color	Ft	Item #
Black	25	114002
	50	114005
	100	114010
	250	114025
	400	114040
Red	25	114502
	50	114505
	100	114510
	250	114525
	400	114540
Yellow	25	114902
	50	114905
	100	114910
	250	114925
	400	114940

1 AWG (40 mm²)

Color	Ft	Item #
Black	25	115002
	50	115005
	100	115010
	300	115030
Red	25	115502
	50	115505
	100	115510
Yellow	25	115902
	50	115905
	100	115910
	300	115930

1/0 AWG (50 mm²)

Color	Ft	Item #
Black	25	116002
	50	116005
	100	116010
	250	116025
Red	25	116502
	50	116505
	100	116510
Yellow	25	116902
	50	116905
	100	116910
	250	116925

2/0 AWG (62 mm²)

Color	Ft	Item #
Black	25	117002
	50	117005
	100	117010
	200	117020
Red	25	117502
	50	117505
	100	117510
Yellow	25	117902
	50	117905
	100	117910
	200	117920

3/0 AWG (81 mm²)

Color	Ft	Item #
Black	25	118002
	50	118005
	100	118010
	150	118015
Red	25	118502
	50	118505
	100	118510
Yellow	25	118902
	50	118905
	150	118915

4/0 AWG (103 mm²)

Color	Ft	Item #
Black	25	119002
	50	119005
	100	119010
Red	25	119502
	50	119505
	100	119510
Yellow	25	119902
	50	119905
	100	119910

Additional wire types are available and can be found in our catalog or online at marinco.com



Battery Cable & Heat Shrink Terminals

Heat Shrink Ring Terminals

UL 486C



AWG	Screw Size	Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	#8 4 mm	3	310203
		25	310225
		100	310299
	#10 4.8 mm	3	310303
		25	310325
		100	310399
	1/4" 6.4 mm	3	310403
		25	310425
		100	310499
5/16" 7.9 mm	3	310503	
	25	310525	
	100	310599	
3/8" 9.5 mm	3	310603	
	25	310625	
	100	310699	
16-14 1-2 mm ²	#8 4 mm	3	311203
		25	311225
		100	311299
	#10 4.8 mm	3	311303
		25	311325
		100	311399
	1/4" 6.4 mm	3	311403
		25	311425
		100	311499
5/16" 7.9 mm	3	311503	
	25	311525	
	100	311599	
3/8" 9.5 mm	3	311603	
	25	311625	
	100	311699	
12-10 3-5 mm ²	#8 4 mm	3	312203
		25	312225
		100	312299
	#10 4.8 mm	3	312303
		25	312325
		100	312399
	1/4" 6.4 mm	3	312403
		25	312425
		100	312499
5/16" 7.9 mm	3	312503	
	25	312525	
	100	312599	
3/8" 9.5 mm	3	312603	
	25	312625	
	100	312699	

Heat Shrink Spade Terminals

UL 486A



AWG	Screw Size	Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	#8 4 mm	3	313203
		25	313225
		100	313299
16-14 1-2 mm ²	#8 4 mm	3	314203
		25	314225
		100	314299
	#10 4.8 mm	3	314303
		25	314325
		100	314399
12-10 3-5 mm ²	#8 4 mm	3	315203
		25	315225
		100	315299
	#10 4.8 mm	3	315303
		25	315325
		100	315399

Heat Shrink Butt Connectors

UL 486C



AWG	Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	3	309003
	25	309025
	100	309099
16-14 1-2 mm ²	500	309002
	3	309103
	25	309125
12-10 3-5 mm ²	100	309199
	500	309102
	3	309203
	25	309225
	100	309299
	500	309202

Heat Shrink Snap Plugs

UL 310



AWG	Gender	Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	Female	3	318803
		25	318825
		100	318899
	Male	3	318903
		25	318925
		100	318999
16-14 1-2 mm ²	Female	3	319803
		25	319825
		100	319899
	Male	3	319903
		25	319925
		100	319999

Heat Shrink Disconnects

.250 (6.4 mm) tab size
UL 310



AWG	Gender	Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	Female	3	316803
		25	316825
		100	316899
	Male	3	316903
		25	316925
		100	316999
16-14 1-2 mm ²	Female	3	317803
		25	317825
		100	317899
	Male	3	317903
		25	317925
		100	317999

Splash Proof Snap Plugs with Inserts



AWG	Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	4	231480
	25	211480
16-14 1-2 mm ²	4	231490
	25	211490

Nylon Ring Terminals

Nylon insulated with insulation grip

Double crimp, funnel entry

UL 486C

AWG	Screw Size	Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	#6 3.6 mm	6	230201
		25	210201
		100	220202
	#8 4 mm	6	230202
		25	210202
		100	220202
	#10 4.8 mm	6	230203
		25	210203
		100	220203
	1/4" 6.4 mm	5	230204
		25	210204
		100	220204
5/16" 7.9 mm	5	230205	
	25	210205	
	100	220205	
3/8" 9.5 mm	5	230206	
	25	210206	
	100	220206	
16-14 1-2 mm ²	#6 3.6 mm	6	230211
		25	210211
		100	220212
	#8 4 mm	6	230212
		25	210212
		100	220212
	#10 4.8 mm	6	230213
		25	210213
		100	220213
	1/4" 6.4 mm	5	230214
		25	210214
		100	220214
5/16" 7.9 mm	5	230215	
	25	210215	
	100	220215	
3/8" 9.5 mm	5	230216	
	25	210216	
	1000	220216	

AWG	Screw Size	Qty/ Pkg	Item #
12-10 3-5 mm ²	#6 3.6 mm	5	230221
		25	210221
		100	220222
	#8 4 mm	5	230222
		25	210222
		100	220222
	#10 4.8 mm	5	230223
		25	210223
		100	220223
	1/4" 6.4 mm	4	230224
		25	210224
		100	220224
5/16" 7.9 mm	4	230225	
	25	210225	
	100	220225	
3/8" 9.5 mm	4	230226	
	25	210226	
	100	220226	
1/2" 12.7 mm	3	230227	
	25	210227	
	50	220227	
8 8 mm ²	#10 4.8 mm	2	230233
		25	210233
		100	222233
	1/4" 6.4 mm	2	230234
		25	210234
		100	222234
	5/16" 7.9 mm	2	230235
		25	210235
		100	222235
	3/8" 9.5 mm	2	230236
		25	210236
		100	222236
1/2" 12.7 mm	1	230237	
	25	210237	
	100	222237	

AWG	Screw Size	Qty/ Pkg	Item #
6 13 mm ²	#10 4.8 mm	1	230243
		25	210243
		100	222243
	1/4" 6.4 mm	1	230244
		25	210244
		100	222244
5/16" 7.9 mm	1	230245	
	25	210245	
	100	222245	
3/8" 9.5 mm	1	230246	
	25	210246	
	100	222246	
1/2" 12.7 mm	1	230247	
	25	210247	
	100	222247	
4 21 mm ²	#10 4.8 mm	1	230253
		25	210253
		100	222253
	1/4" 6.4 mm	1	230254
		25	210254
		100	222254
5/16" 7.9 mm	1	230255	
	25	210255	
	100	222255	
3/8" 9.5 mm	1	230256	
	25	210256	
	100	222256	
1/2" 12.7 mm	1	230257	
	25	210257	
	100	222257	



Nylon Terminals

Nylon Flanged Spades

Nylon insulated with insulation grip
Double crimp, funnel entry
UL 486C



AWG	Screw Size		Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	#6 3.6 mm	6	230301	
		25	210301	
		100	220302	
	#8 4 mm	6	230302	
		25	210302	
		100	220302	
#10 4.8 mm	6	230303		
	25	210303		
	100	220303		
16-14 1-2 mm ²	#6 3.6 mm	6	230311	
		25	210311	
		100	220312	
	#8 4 mm	6	230312	
		25	210312	
		100	220312	
#10 4.8 mm	6	230313		
	25	210313		
	100	220313		
12-10 3-5 mm ²	#6 3.6 mm	5	230321	
		25	210321	
		100	220322	
	#8 4 mm	5	230322	
		25	210322	
		100	220322	
#10 4.8 mm	5	230323		
	25	210323		
	100	220323		

Nylon Single Crimp Butt Connectors

Nylon insulated seamless
UL 486C



AWG	Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	7	230100
	25	210100
	100	220100
	500	222100
16-14 1-2 mm ²	7	230110
	25	210110
	100	220110
	500	222110
12-10 3-5 mm ²	5	230120
	25	210120
	100	220120
	500	222120

Nylon Double Crimp Butt Connectors

Nylon insulated with insulation grip
Funnel entry
UL 486C



AWG	Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	3	230161
	25	210161
	100	220161
	500	222161
16-14 1-2 mm ²	3	230162
	25	210162
	100	220162
	500	222162
12-10 3-5 mm ²	2	230163
	25	210163
	100	220163
	500	222163

Nylon Fully Insulated Disconnects

.250 (6.4 mm) tab size
Nylon insulated with insulation grip
Double crimp, funnel entry
UL 310



AWG	Gender	Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	Female	4	231408
		25	211408
		100	221408
	Male	4	231409
		25	211409
		100	221409
16-14 1-2 mm ²	Female	4	231418
		25	211418
		100	221418
	Male	4	231419
		25	211419
		100	221419
12-10 3-5 mm ²	Female	3	231428
		25	211428
		100	221428
	Male	3	231429
		25	211429
		100	221429

Nylon Disconnects

.250 (6.4 mm) tab size
Nylon insulated with insulation grip
Double crimp, funnel entry
UL 310



AWG	Gender	Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	Female	4	230808
		25	210808
		100	220808
	Male	4	230809
		25	210809
		100	220809
16-14 1-2 mm ²	Female	4	230818
		25	210818
		100	220818
	Male	4	230819
		25	210819
		100	220819
12-10 3-5 mm ²	Female	3	230828
		25	210828
		100	220828
	Male	3	230829
		25	210829
		100	220829

Nylon Snap Plugs

Nylon insulated with insulation grip
Double crimp, funnel entry
UL 310



AWG	Gender	Qty/ Pkg	Item #
22-18 0.3-0.8 mm ²	Female	4	230708
		25	210708
		100	220708
	Male	4	230709
		25	210709
		100	220709
16-14 1-2 mm ²	Female	4	230718
		25	210718
		100	220718
	Male	4	230719
		25	210719
		100	220719

Nylon Multi-Stack Connectors

.250 (6.4mm) tab size
Nylon insulated with insulation grip
Double crimp, funnel entry
UL 310



AWG	Qty/ Pkg	Item #
16-14 1-2 mm ²	3	230612
	25	210612
	100	220612

Nylon 3-Way Connectors

Nylon insulated with insulation grip
Double crimp, funnel entry
UL 310



AWG	Qty/ Pkg	Item #
16-14 1-2 mm ²	1	230510
	25	210510
12-10 3-5 mm ²	1	230520
	25	210520

Double Male-Female Adapter

.250 tab 6.4 mm



Qty/ Pkg	Item #
5	230613
25	210613

Vinyl Step Down Butt Connectors

Vinyl insulated
UL 486C



AWG	Qty/ Pkg	Item #
16-14 to 22-18 1-2 to 0.3-0.8 mm ²	3	230164
	25	210164
	100	220164
12-10 to 16-14 3-5 to 1-2 mm ²	3	230165
	25	210165
8 to 12-10 8 to 3-5 mm ²	3	230166
	25	210166


Vinyl Butt Connectors

Vinyl insulated
UL 486C



AWG	Qty/ Pkg	Item #
8 8 mm ²	2	230130
	25	210130
	100	222130
6 13 mm ²	1	230140
	25	210140
	100	222140
4 21 mm ²	1	230150
	25	210150
	100	222150

Splice Connects



AWG	Qty/ Pkg	Item #
18-14 0.8-2 mm ²	4	230615
	25	210615
	100	220615