
# SQBW6068RJ <

## CGS | CGS SQ

TE Internal #: 4-2176632-5 68 Ω, Wire Wound, Power Resistor, 5 %, 90 x 18 x 20 mm, 2 Termination, Loose Piece - Box, 60 W, ±300 ppm/°C, Steel Termination, CGS SQ

#### View on TE.com >

#### Passive Components > Resistors > Through-Hole Resistors



Resistor Type: Power Resistor

Passive Component Dimensions: 90 x 18 x 20 mm

Number of Terminations: 2

Packaging Method: Loose Piece - Box

Passive Component Tolerance: 5%

## Features



## Product Type Features

Resistor Type	Power Resistor
Element Type	Wire Wound
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Passive Component Tolerance	5 %
Resistance Class	Up to 1kΩ
Resistance Value	68 Ω
Power Rating	60 W
Body Features	
Lead Type	Radial-Leaded FASTON
Termination Features	
Number of Terminations	2

## SQBW6068RJ

68  $\Omega$ , Wire Wound, Power Resistor, 5 %, 90 x 18 x 20 mm, 2 Termination, Loose Piece - Box, 60 W, ±300 ppm/°C, Steel Termination, CGS SQ



Termination Area Base Material	Steel
Dimensions	
Passive Component Dimensions	90 x 18 x 20 mm
Usage Conditions	
Operating Temperature Range	-55 – 155 °C
Temperature Coefficient	±300 ppm/°C
Packaging Features	
Packaging Method	Loose Piece - Box
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE

#### Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not reviewed for solder process capability

#### Solder Process Capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## **Compatible Parts**

**&** For support call+1 800 522 6752

## SQBW6068RJ

68 Ω, Wire Wound, Power Resistor, 5 %, 90 x 18 x 20 mm, 2 Termination, Loose Piece - Box, 60 W, ±300 ppm/°C, Steel Termination, CGS SQ






TE Part # 4-2176632-4 SQB60 62R (WIRE) 5% FASTON

TE Part # 4-2176632-6 SQB60 75R (WIRE) 5% FASTON

# Also in the Series CGS SQ



## Documents

Product Drawings SQB60 68R (WIRE) 5% FASTON

English

### **CAD** Files

Customer View Model

ENG\_CVM\_CVM\_4-2176632-5\_BA.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_4-2176632-5\_BA.3d\_igs.zip

English

### 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_4-2176632-5\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages High Power Resistors - Type SQ Series English