

## PM2H25-M



• Push mounts require no adhesive backing or additional mounting hardware. They are inserted into pre-drilled holes. Can be used where only one side of the panel is accessible. This push mount does not have tensioning wings.


311 312 x	
■ Part Number	PM2H25-M
■ RoHS Compliancy Status	Compliant
■ Part Description	Push Barb Cable Tie Mount
■ Material	Nylon 6.6
<b>■</b> Color	Natural
■ UL Recognized	E136577
■ Height (In.)	.18
■ Height (mm)	4.6
■ Width (In.)	.38
■ Width (mm)	9.6
■ CE Compliant	CT-ACC4 / 10.96
■ Environment	Indoors
■ Flammability Rating	UL94 V-2
■ Max. Bundle Diameter (mm)	4.8
<ul><li>Max. Panel Thickness (In.)</li></ul>	.125
<ul><li>Max. Panel Thickness (mm)</li></ul>	3.2
<ul><li>Mounting Method</li></ul>	Push barb
■ Panel Hole Diameter (In.)	.250
■ Panel Hole Diameter (mm)	6.4
<ul> <li>Pricing Description</li> </ul>	Cable Tie Mount, Push Mount, NAT
■ Thickness (In.)	.30
■ Thickness (mm)	7.6
<ul> <li>Used With Cable Ties</li> </ul>	M, I, S
<ul><li>Min. Order UOM</li></ul>	PC
Min. Order Qty.	1000
■ BOM Qty. (# of Pkgs.)	


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PANE	PANDUIT	USE WITH THESE		WEIGHT			
PART NO.		CROSS-SECTIONS	А	В	С	D	g/100pcs
PM2	:H25	MINIATURE INTERMEDIATE STANDARD	.62 (15.8)	.18 (4.6) REF	.30 (7.6)	.38 (9.6)	.10 (45)

## NOTES:

- 1. SEE CURRENT PRICE SHEET FOR PART NUMBER SUFFIX DESIGNATION FOR PACKAGE SIZE, AND COLOR.
- 2. (\*) DIMENSIONAL VARIANCE IS POSSIBLE DUE TO MOLDING PROCESS RELATED SINK MARKS.
- 3. APPLICATION SPECIFICATION: HOLE DIAMETER: .245 (6.3) - .255 (6.5) PANEL THICKNESS: .125 (3.2) (MAX)







CAD FILENAME/LAYERS G002391J\_PB\_PM2H25\_03



TINLEY PARK, ILLINOIS

## PUSH MOUNT PM2H25

'						WE   120							
3	5/27/08	DJSM		CORRECTED FILE NAME	GB02391J	3					THERWISE SPECIFIED, NAL TOLERANCES ARE:	UNLESS OTHERWISE SPEC	
2	5/22/08	DJSM		TABULARIZED DIMENSIONS, REMOVED WINDOW DIMENSIONS	GB02391J	Ν					.05 [1.3] (.XXX) ±0.010 [0.25]	IN INCHES, THIRD ANGLE PROJECTION.	
1	02/05/03	MSAD		.070 +/015 WAS .070 +/010 (1.8 +/-0.38) (1.8 +/-0.25)	GB02391J	1				DRAWN BY LGG	MAT'L:	5:2	
R	01/10/02	LGG		INITIAL RELEASE	GB02391J	R				01 - 20 - 02	NYLON 6/6	GB0239 I J	Dwg
REV	DATE	BY	CHK	DESCRIPTION	ECN -	R	CUST	SUP		CHK 'D		00023913	SIZE

