



What can we help you find?

[Products](#) [Industries](#) [Resources](#) [About TE](#) [My Account](#) [Innovation](#) [Support Center](#)

GILS-4/0(B72) Product Details

[Share](#) [Print](#) [Email](#)



GILS-4/0(B72)

TE Internal Number: 914517-000

Active

Power Cable Splices, Repair Sleeves and End Seals

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Closure
- GILS Series
- Closure Type = Hinged
- Connector Included = Yes
- Type of Connector = 2-Port In-Line

[View all Features](#)

Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information	
<p>Product Drawings:</p> <ul style="list-style-type: none"> • None Available <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> • GILS Gel In-line Splice Kit 1000 V (PDF, English) <p>Product Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Application Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Instruction Sheets:</p> <ul style="list-style-type: none"> • GILS Closure with PowerGel Sealant (PDF, English) <p>CAD Files:</p> <ul style="list-style-type: none"> • None Available 	<p>Additional Information:</p> <ul style="list-style-type: none"> • Product Line Information <p>Related Products:</p> <ul style="list-style-type: none"> • Tooling

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)	
<p>Product Type Features:</p> <ul style="list-style-type: none"> • Product Type = Closure • Closure Type = Hinged • Type of Connector = 2-Port In-Line • Cable Type = Polymeric • Retention Type = Snap-lock • Armored Cable = No • Jacketed Cable = With • Package = 72 kits/box <p>Mechanical Attachment:</p> <ul style="list-style-type: none"> • Installation Type = Cold Applied <p>Dimensions:</p> <ul style="list-style-type: none"> • Installed Length (mm [in]) = 114.3 [4.5] <p>Configuration Features:</p> <ul style="list-style-type: none"> • Connector Included = Yes • Number of Conductors = 1 • Number of Ports = 2 • Conductor (Wire) Size = #2 - 4/0 • Cable Shielding = Without 	<p>Industry Standards:</p> <ul style="list-style-type: none"> • RoHS/ELV Compliance = RoHS compliant, ELV compliant • Lead Free Solder Processes = Not relevant for lead free process • RoHS/ELV Compliance History = Always was RoHS compliant <p>Printer/Label Features:</p> <ul style="list-style-type: none"> • Voltage Rating (kV) = 1 <p>Operation/Application:</p> <ul style="list-style-type: none"> • Application = Above Ground, Direct Burial, Submersible <p>Other:</p> <ul style="list-style-type: none"> • Series = GILS • Brand = Raychem • Comment = Kits include connectors

Corporate Information

[About TE](#)

Quick Links

[Distributor Inventory](#)

Customer Support

[Email or Chat With Us](#)