Thomas&Betts



Representative

Catalog Number: Product ID: UPC Number: EAN Number: Status:

E10711 7TAI029620R0070 78621082961 05414363150367 Active

Non-Insulated Tubular Ring Terminal, Length 1.26 Inches, Width .49 Inches, Bolt Hole 1/4 Inch, Wire Range 6/6AN, Copper, Tin Plated

- These non-insulated ring terminals are made of electrolytic copper for high conductivity.
- They can be installed with crimping tools having a single indentor or double indentor (recommended for solid wire).
- Application Tools: WT115A, TBM6, TBM6S, WT3185

| North American Specifications (UNSPSC) | |
|--|---|
| UNSPSC | 39121432 Electrical terminals |
| IGCC | 4603 Electrical terminals |
| Brand Name | Sta-Kon |
| Туре | Ring Terminal |
| Special Features | These non-insulated ring terminals are made of |
| | electrolytic copper for high conductivity. They can be installed with crimping tools having a single in- |
| | dentor or double indentor (recommended for solid |
| | wire). |
| Standard | UL E9809 |
| Wire Size | 6 |
| Voltage Rating | 600V |
| Material | Copper |
| Color | Metallic |

European Specifications (ETIM)

| ETIM | EC001052 Solderless copper terminals for copper |
|--------------------|---|
| | conductors |
| Flange shape | Ring shape |
| Insulation | None |
| Reel packaging | Ν |
| Material | Copper |
| Surface protection | Tinned |

Packaging

| raonaging | |
|---------------------------|------------------|
| Inner Quantity | 200 |
| Inner Dimensions (inches) | 4x4x3 |
| Outer Quantity | 2000 |
| Outer Dimensions (inches) | 21.5x8.9x3.6 |
| Weight Uom | 1.5 lbs. per 100 |

Documents / Support Tools

Technical Data Sheet CAAvaTechnical Data Sheet Globalwsa

Available on Website wsd-000168

For further technical assistance, please contact us...

T&B Technical Support MS 3B-50 8155 T&B Blvd. Memphis, TN 38125 Hours: 7AM - 6PM CDT Monday-Friday Phone: (888) 862-3289 Fax: (901) 252-1321 Email:techsupport@tnb.com

Thomas & Betts - USA 8155 T&B Blvd. Memphis, TN 38125 www.tnb.com