#### PRODUCT DESCRIPTION

The DPM 3AS-BL features a 200mV d.c. measurement range with auto-zero and auto-polarity. Decimal points are user selectable. The DPM 3AS-BL features a negative rail generator which enables the meter to measure a signal referenced to its own power supply GND. LED backlighting ensures excellent readability under low light conditions. The design of the panel meter's housing allows the module to be easily snapped into a panel. The module's low cost means it will suit high and low volume applications. The DPM 3AS-BL is intended to replace the DPM 3, DPM 3S, DPM 3-BL and DPM 3S-BL in many applications, usually requiring only minor circuit modifications.

#### **FEATURES**

- 11mm (0.43") Digit Height
- 200mV d.c. Full Scale Reading
- 3.0 to 7.5V or 6.0 to 15.0V Operation
- Auto-zero and Auto-polarity
- Programmable Decimal Points
- LED Backlighting

# **TYPICAL APPLICATIONS**

- Precision Instrumentation Systems
- Power Supply Monitoring
- Hand held instruments
- Panel-Mount Indication
- Low Power Voltage Measurement



## **ORDERING INFORMATION**

	Stock Number
Standard Meter	DPM 3AS-BL

## **ELECTRICAL SPECIFICATIONS**

Specification		Min.	Тур.	Max.	Unit
Accuracy (overall error) *			0.1		% (±1 count)
Linearity			1	±1	count
Sample rate			2.5		samples/sec
Operating temperature range		0		50	°C
Temperature stability			250		ppm/°C
Meter supply voltage	V+ to GND configuration	3.0	5.0	7.5	V d.c.
	V+ to V- configuration	6.0	9.0	15.0**	V d.c.
Meter supply current	V+ to GND configuration		350		μА
	V+ to V- configuration		175		μΑ
Backlight supply voltage		4.75	5.0	***	V d.c.
Backlight supply current @ 5V d.c.			40	60	mA
Input leakage current (Vin = 0V)			1	10	рА

<sup>\*</sup> To ensure maximum accuracy, re-calibrate periodically.

Unless otherwise noted, specifications apply at  $T_A = 25^{\circ}\text{C}$ ,  $V_{\text{supply}} = 5\text{Vd.c.}$  ( $f_{\text{clock}} = 48\text{kHz}$ ) and are tested with the module configured for fully floating input mode.

### **SAFETY**

To comply with the Low Voltage Directive (LVD 93/68/EEC), input voltages to the module's pins must not exceed 60Vdc. The user must ensure that the incorporation of the panel meter into the user's equipment conforms to the relevant sections of BS EN 61010 (Safety Requirements for Electrical Equipment for Measuring, Control and Laboratory Use).



<sup>\*\*</sup> Operation of the meter beyond the maximum supply voltage rating may cause permanent damage to the meter.

<sup>\*\*\*</sup> An external series resistor is required above 5V, see Applications.









