

lectrical UL/CSA Electric	al IEC Electronics	Consumer/Aftermarke	OEM Transportation	Terminal Blocks	Systems/Services/Software
Cooper Bussmann					
Homepage About Cooper Bussmann Contact Us Privacy Legal Cooper Bussmann® Brand Site Map	FNQ-1/2 Time-Delay Supplementary I		ūse, 500V, 1/2A, 13/32 - 1-1	/2 Inches	
	Product Type:	Fuse			
	Product Family:	Electrical Power			
	Brand:	Cooper Bussmann			
			c	ertifications	
	Recommended I	Products	<u>U</u>	L Listed	
	Rec. Fuse Block:	BM603 Series	C	SA Certified	
	Rec. Inline Fuse Holder:	HEB Series			

Physical Properties					
Dimensions:	$\begin{array}{l} 1.5 \text{in.(L)} \times 0.41 \text{in.(W)} \times 0 \text{in.} \\ (\text{H}) \end{array}$				

HPS Series

CHM Series

5960 Series

SAMI-7 Series

Rec. Panel-mount

Rec. Modular Fuse

Rec. Fuse Clips:

Rec. Cover:

Fuse Holder:

Holder:




Lieutical Froperties			
Maximum AC Voltage:	500		
Amperage Rating:	0.5		
AC Interrupting Ratings:	• 10000 at 500V		
Time Delay:	Yes		

Bussmann®

FNQ

Tron[®] Time-Delay Fuses 13/32" x 1-1/2" Midget 500 Volt, 1/10-30 Amps





Catalog Symbol: FNQ (5AG) TIME-DELAY 1/10 TO 30A 500Vac (OR LESS) Interrupting Rating:10,000A UL LISTED, STD 248-14, (GUIDE # JDYX, FILE # E19180) CSA CERTIFIED (CLASS 1422-01; FILE 53787)

Catalog Symbol and Ampere Ratings


		-	
FNQ-1/10	FNQ-8/10	FNQ-3-2/10	FNQ-9
FNQ-1/8	FNQ-1	FNQ-3-1/2	FNQ-10
FNQ-15/100	FNQ-1-1/8	FNQ-4	FNQ-12
FNQ-3/16	FNQ-1-1/4	FNQ-4-1/2	FNQ-14
FNQ-2/10	FNQ-1-1/2	FNQ-5	FNQ-15
FNQ-1/4	FNQ-1-6/10	FNQ-5-6/10	FNQ-20
FNQ-3/10	FNQ-2	FNQ-6	FNQ-25
FNQ-4/10	FNQ-2-1/4	FNQ-6-1/4	FNQ-30
FNQ-1/2	FNQ-2-1/2	FNQ-7	_
FNQ-6/10	FNQ-3	FNQ-8	_

Carton Quantity and Weight						
Ampere	Carton	Weight*				
Ratings	Qty	Lbs.	Kg.			
1-30	10	.180	.082			


* Weight per carton.

- Fibre tube.
- Nickel plated brass endcaps.
- For motor control transformers and other circuits with in-rush currents.

Time-Current Characteristic Curve-Average Melt



RMS SYMMETRICAL IN AMPERES



C€

