

1-1393310-9 Product Details



Multiple Circuit Housings with Tabs & Receptacles

Always EU RoHS/ELV Compliant (Statement of

Compliance)

Product Highlights:

- Contact
 Contact Type = Receptacle
 Mating Area Interface Dimensions = 6.35 x 0.81
- Wire Range = 1.25-2.00² [16-14] mm [AWG]
 Insulation Diameter = 2.48-3.97 [.112-.156] mm [in]

Documentation & Additional Information		
Product Drawings: • None Available	Related Products: Tooling 	
Catalog Pages/Data Sheets: None Available 		
Product Specifications:None Available		
Application Specifications: None Available 		
Instruction Sheets: None Available 		
CAD Files: • None Available		

Product Type Features: • Product Type = Contact	Contact Features: • Contact Type = Receptacle
 Receptacle Style = Straight Wire/Cable Type = Regular Wire Finish = Tin Insulation Support = With FASTON = Yes 	Industry Standards: • RoHS/ELV Compliance = RoHS compliant, ELV compliant • Lead Free Solder Processes = Not reviewed for lead free solder process • RoHS/ELV Compliance History = Always was RoHS compliant
 Dimensions: Mating Area Interface Dimensions (mm [in]) = 6.35 × 0.81 [.250 × .032] Insulation Diameter (mm [in]) = 2.48-3.97 [.112156] Body Features: Wire Range (mm [AWG]) = 1.25-2.00² [16-14] Material = Copper Alloy 	Packaging Features: • Packaging Method = Reel Other: • Line = FASTIN-FASTON .250 • Brand = TE Connectivity