

# **T-7 T-Stripper Wire Stripper**


## Catalog # 45-125



### **Features**

- Wire range #22 to #30 AWG solid, #24 to #32 AWG stranded
- Form-ground, knife-type blades for accurate, easy stripping without nicking insulation
- Built-in wire cutter and looping holes
- Convenient plier nose for extra gripping strength
- · Laser-etched wire gauge for easy-to-read visibility
- Spring-loaded automatic opening
- Corrosion-resistant, black oxide finish
- Tough steel construction
- Locking tabs keep spring in place

# Engineered to strip every wire right



#### Kinetic™ Reflex™ T®-Stripper Wire Stripper

Ergonomic handles with Santoprene™ grip and Thumb Valley™make this the premier wire stripper in the market.

#### Kinetic<sup>™</sup> Super Wire Stripper

The ergonomic design and patented Santoprene™ grip wicks away perspiration and reduces muscle fatigue. The Thumb Valley™ guide and precision stripping holes promote the highest accuracy in the industry.



- Thumb Valley Protection Pocket Locket Locking Hasp
- Shear Cut **Bolt Cutters**
- Santoprene™ Curved Handles

## Reflex™ Super T®-Stripper Wire Stripper

The ergonomic design with curved handles reduces wrist fatigue. Features 6/32 and 8/32 self-chasing, bolt cutting holes and a locking pawl for safe storage.



Designed for total-comfort and wire stripping. Ergonomic handles fit an electrician's natural grip and reduces hand fatigue. Textured, slipresistant sleeves cushion thumb and fingers.



Textured Comfort Ergo Handles

Locking Pawl

**Bolt Cutting** 

Extended

Extended Textured Ergo Handles



- Thumb Valley Protection
- Pocket Locket Locking Hasp
- Shear Cut **Bolt Cutters**
- Santoprene<sup>™</sup>
- Ergo Handles

#45-900's

45-915

45-918

#### Super T®-Stripper Wire Stripper

The industry standard for almost 50 years. Compact,

lightweight and easy to use. Features precision-ground,

knife-type blades, built-in looping holes, wire cutters

T®-Stripper Wire Stripper

and a convenient plier nose.

Traditional T®-Stripper Wire Stripper features with the added convenience of bolt-cutting holes and locking pawl. Curved comfort-grip handles accommodate high-volume wire stripping.



- Locking Pawl
- · Bolt Cutting
- Comfort
- Curved

and a comoment pilot neces									•	Straight Handles		ranales								
	T®-\$																			
	6 a	3 10 0 12	0 12 2 14	14 16	16 18	18 20	20 22	22 24	24 26	26	28 30	30 32	Hole Size		#45-100's	#45-300's	#45-400's	#45-600's	#45-700's	
		T						22	24	26	28	30	Solid		45-125	45-317	45-417			
		T	T		Г		Г	24	26	28	30	32	Stranded	A TANGE TANG	40-120	40-317	45-417	_		
		T	T	14	16	18			П	П	Γ		Solid	gi Bessense	45-121	45-316	45-416	45-616	45-716	
				16	18	20	22	24	26				Stranded	A Linear	45-121	45-510	45-410	45-010	40-710	
		10	12	14	16	18					Π		Solid	The second second	45-120		45-415		45-715	
		12	2 14	16	18	20					Γ		Stranded	hi ham	N. Incres	45-120		40-410	_	40-710
	8	3 10	12	14	16				Г		Γ		Solid	A Charleston	_	45-315		45-615	_	
	1	0 12	2 14	16	18		Γ	Г	Γ		Γ		Stranded		_	40-010	_	45-015		
	6 8	3 10	12	14			Г		Γ		Γ		Solid		45-124	45-318	45-418	45-618	45-718	
	8 1	0 12	2 14	16	Г						Γ	Π	Strand		40-124					

45-123

Static Disp



## T®-Stripper Wire Strippers

- Form-ground, knife-type blades for accurate, easy stripping without nicking insulation
- Built-in wire cutter and looping holes
- Convenient plier nose for extra gripping strength



- Laser-etched wire gauge for easy-to-read visibility
- Spring-loaded automatic opening
- Corrosion-resistant, black oxide finish
- Tough steel construction

Description	Solid	Stranded	Cat. No.
T®-5 T®-Stripper Wire Stripper	10-18	12-20	45-120
T®-6 T®-Stripper Wire Stripper	14-24	16-26	45-121
T®-7 T®-Stripper Wire Stripper	22-30	24-32	45-125
T®-8 T®-Stripper Wire Stripper	6-14	8-16	45-124
T®-Stripper Wire Stripper – Metric	0.75-	45-120-341	
T®-Stripper Wire Stripper – Metric	0.5-4	1mm²	45-125-341

## **NM Cable T®-Stripper Wire Strippers**

- Easy, one-step stripping of outer jacket of NM cable - no slitting required
- Versatility to strip, cut and loop conductor wires with precision and ease
- Stripping holes for 12 or 14 AWG solid wire
- Locking pawl for safe storage

Description	Cat. No.
14/2 NM Cable T®-Stripper Wire Stripper	45-248
12/2 NM Cable T®-Stripper Wire Stripper	45-249
Reflex™ Super 12/2 & 14/2 NM Cable T®-Stripper Wire Stripper	45-621
Reflex™ Super 12/3 & 14/3 Cable T®-Stripper Wire Stripper	45-622

## **NM Cable Dual-Hole T®-Stripper Wire Stripper**

- Stripping holes for stripping two 12 AWG or two 14 AWG wires simultaneously
- Ability to strip both conductor wires of NM cable at one time

Description	Wire Range	Cat. No.
Premium T®-14 T®-Stripper Wire Stripper	12 or 14 AWG solid	45-247

Romex® is a registered trademark of Southwire.

## Super T®-Stripper Wire Strippers

- 6-32 and 8-32 self-chasing screwcutting holes (not available on metric stripper)
- Curved, cushion-grip handles for ergonomic comfort
- Locking pawl to keep stripper in closed position
- Built-in wire cutter and looping holes
- Convenient plier nose for extra gripping strength
- Laser-etched wire gauge for easy-to-read visibility
- Spring-loaded automatic opening
- Tough steel construction, corrosion-resistant, black oxide finish

Description	Solid	Stranded	Cat. No.
Super T®-5 T®-Stripper Wire Stripper	8-16	10-18	45-315
Super T®-8 T®-Stripper Wire Stripper	6-14	8-16	45-318
Super T®-Stripper Wire Stripper – Metric	0.5-4mm <sup>2</sup>		45-310-341
Super T®-Stripper Wire Stripper – Metric	0.75-	45-315-341	
Super T®-Stripper Wire Stripper – Metric	0.5-4mm²		45-317-341

### Lil' Ripper Stripper™

- Rips Romex® outer jacket cleanly and
- Clips outer sheathing to remove excess Romex® jacket
- Strips inner conduit wires
- Looping holes loop wire for screw-on connections
- Twist-Assist™ tightens most popular sizes of winged twist-on connectors
- Injection molded elastomer grip provides a comfortable, slip resistant grip
- Strip length measuring scale allows for quick and easy measurements
- Conveniently fits in your pocket

Description	Cat. No.		
Lil' Ripper Stripper™	45-025		

## Reflex™ Super T®-Stripper Wire Strippers

- 6/32 and 8/32 self-chasing screw-cutting holes
- Locking pawl for safe storage
- Ergonomic design for maximum comfort
- Curved handles reduce wrist fatigue
- Sleeves that extend to stripping head to cushion thumb and fingers
- Textured sleeves with extra cushioning for added comfort

Description	Solid	Stranded	Cat. No.
Reflex™ Super 12/2 & 14/2 NM Cable T®-Stripper Wire Stripper	12-2 and 14-2	_	45-621
Reflex™ Super 12/3 & 14/3 NM Cable T®-Stripper Wire Stripper	12-3 and 14-3	_	45-622