

# CR-M2LS

ABB contact for United  
States of America



## General Information

---

<b>Extended Product Type:</b>	CR-M2LS
<b>Product ID:</b>	1SVR405651R1100
<b>EAN:</b>	4013614373756
<b>Catalog Description:</b>	CR-M2LS Logical socket
<b>Long Description:</b>	The CR-M2LS socket is from the CR-M (miniature) relay range. The logical socket is suitable for CR-M relays with 2 c/o (SPDT) output contacts. The socket has screw connection terminals. Pluggable function modules, holder and marker are available as accessories.

---

## Categories

---

Products » Low Voltage Products and Systems » Control Products » Electronic Relays and Controls » Interface Relays and Optocouplers

---

## Ordering

---

<b>EAN:</b>	4013614373756
<b>Minimum Order Quantity:</b>	10 piece
<b>Customs Tariff Number:</b>	85389099

---

## Dimensions

---

<b>Product Net Width:</b>	27.0 mm
<b>Product Net Height:</b>	61.0 mm
<b>Product Net Depth:</b>	82.0 mm
<b>Product Net Weight:</b>	0.055 kg

---

## Container Information

---

<b>Package Level 1 Units:</b>	10 piece
<b>Package Level 1 Width:</b>	141.0 mm
<b>Package Level 1 Height:</b>	95.0 mm
<b>Package Level 1 Length:</b>	78.0 mm
<b>Package Level 1 Gross Weight:</b>	0.552 kg

---

## Technical

---

<b>Function:</b>	Accessory for interface relays CR-M
<b>Sub-Function:</b>	Socket for miniature relays
<b>Sub-Function 2:</b>	Logical socket for miniature relay 2 c/o
<b>Output:</b>	none
<b>Output Signal:</b>	none
<b>Terminal Type:</b>	Screw Terminals

---

## Environmental

---

<b>RoHS Status:</b>	Following EU Directive 2002/95/EC August 18, 2005 and amendment
---------------------	---

---

## Certificates and Declarations (Document Number)

---

<b>cUR Certificate:</b>	cUR_E244328
<b>Declaration of Conformity - CE:</b>	1SAD938501-0159
	EAC_RU_C-PL.ME77.B.01873

**EAC Certificate:**  
**GOST Certificate:** GOST\_POCC\_DE.AB76.D02256  
**RMRS Certificate:** RMRS\_12.04008.250  
**RoHS Information:** 1SAA981041-4402  
**UR Certificate:** UR\_E244328

**Classifications**

**Object Classification Code:** K  
**E-number:** 4005371  
**ETIM 4.0:** EC001456 - Relay socket  
**ETIM 5.0:** EC001456 - Relay socket  
**UNSPSC:** 39120000  
**eClass:** 7.0 27371603

