

NEOZED-FUSE LINK 400V GL/GG,GR.D02, 40A,  
COLLAPSIBLE BOX



Figure similar

Model		
product brand name		SENTRON
Product variations		Pack of 10
Design of the fuse link		NEOZED fuse links
General technical data		
Size of fuse system / acc. to DIN EN 60269-1		D02
Operating class of the fuse link		gG
circuit-breaker / Design		5SE2
Supply voltage		
• at AC / Rated value	V	400
Protection class		
Protection class IP		IP20, with connected conductors
Switching capacity		
Switching capacity current / acc. to IEC 60947-2 / Rated value	kA	50
Dissipation		
Active power loss		

- for rated value of the current / at AC / in hot operating state / per pole

W	3.1
---	-----

### Electricity

rated current I <sub>n</sub> / IEC, DIN/VDE / at 40 Cel	A	38
Current / at AC / Rated value	A	40

### Appearance

Color coding of the fuse link		black
-------------------------------	--	-------

### Mechanical Design

mounting position		Any, preferably vertical
Net weight	g	13.4

### Environmental conditions

<b>Ambient temperature</b>		
• minimum	°C	-5
• maximum	°C	40
<b>Environmental category</b>		Up to 45°C at 95 % rel. humidity

<b>General Product Approval</b>	<b>Declaration of Conformity</b>	<b>Test Certificates</b>
---------------------------------	----------------------------------	--------------------------



[spezielle Prüfbescheinigungen](#)

[Typprüfbescheinigung/Werkszeugnis](#)

[sonstige](#)

### other

[Umweltbestätigung](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5SE2340>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/5SE2340/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5SE2340](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SE2340)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

24.07.2015