

NEW

Céliane™

mechanisms and cover plates

MECHANISMS			ROCKER PLATES OR COVER PLATES			
				White	Titanium	
	Cat.Nos	Pack				Pack
LIGHTING AND DIMMING						
2-way switch 10 AX	670 01	10		680 01	683 01	10
1-way switch 10 AX	670 02	10				
2-way switch 10 AX with indicator ⁽¹⁾	670 01	10		680 03	683 03	10
2-way switch 10 AX with label-holder ⁽¹⁾	670 01	10		680 14	683 14	10
2-way switch 10 AX with illuminated ring Independent monitor or indicator function	670 01	10		680 01 + 676 69	683 01 + 676 69	10
1-way switch 10 AX with illuminated ring Independent monitor or indicator function	670 02	10				
2-way switch 10 A, with cord switch	670 08	10				
2-way switch with lever 6 AX ⁽²⁾	670 16	10		680 16	683 16	10
2-way switch with lever 6 AX with indicator and illuminated ring ⁽²⁾	670 16	10		680 10 integrated indicator	683 10 integrated indicator	1
2-way switch "push" type 6 AX	670 15	10		680 15	683 15	10
Silent two-way switch 6 AX ⁽²⁾	670 13	10		680 17	683 17	10
Silent two-way switch 6 AX with indicator and illuminated ring ⁽²⁾	670 13	10		680 13 integrated indicator	683 13 integrated indicator	1
2-way indicator switch without neutral	670 07	1		680 03	683 03	10
Intermediate switch	670 06	10		680 06	683 06	10
Touch control switch with neutral - 1000 W	670 42	1		680 41 Kaolin Glass	683 41 Kaolin Glass	1
Touch control switch without neutral - 400 W	670 41	1			683 40 Titanium Glass	
Sensitive switch with neutral - 1000 W	670 49	1			683 46 Graphite Glass	
NO contact pushbutton potential-free terminals	670 34	10		680 03	683 03	10
Changeover pushbutton NO + NC - 6 A	670 31	10		680 01	683 01	10
Pushbutton 6 A	670 32	10				
Changeover pushbutton NO + NC - 6 A with indicator ⁽¹⁾	670 31	10		680 03	683 03	10
Pushbutton 6 A with indicator ⁽¹⁾	670 32	10				
Changeover pushbutton NO + NC - 6 A with label-holder ⁽¹⁾	670 31	10		680 14	683 14	10
Pushbutton 6 A with label-holder ⁽¹⁾	670 32	10				
Changeover pushbutton NO + NC - 6 A with lever	670 36	10		680 16	683 16	10

(1) Becomes illuminated or monitor with indicators (p. 546)
 (2) Mechanism supplied with titanium central rocker

Céliane™

mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES			
				White 	Titanium 	Pack
Cat.Nos	Pack					
LIGHTING AND DIMMING (continued)						
Changeover pushbutton, NO + NC, 6 A with lever	670 36	10		680 10 integrated indicator	683 10 integrated indicator	1
Changeover pushbutton, NO + NC, 6 A "push type"	670 35	10		680 15	683 15	10
Silent changeover pushbutton, NO + NC, 6 A	670 33	10		680 17	683 17	10
Silent changeover pushbutton, NO + NC, 6 A with indicator	670 33	10		680 13 integrated indicator	683 13 integrated indicator	1
Silent remote control switch - 2000 W	670 61	1		680 03	683 03	10
2-way switch + changeover pushbutton	670 01 + 670 31	10 10		680 02	683 02	10
Double 2-way switch 10 AX	2 x 670 01	10		680 02	683 02	10
Double switch 10 AX	2 x 670 02	10				
Double 2-way switch with indicator or illuminated or monitor ⁽¹⁾	2 x 670 01	10		680 04	683 04	10
Double 2-way switch with lever ⁽²⁾	2 x 670 16	10		680 19	683 19	10
Double silent two-way switch ⁽²⁾	2 x 670 13	10		680 18	683 18	10
Two-way switch with 3 compact controls	3 x 670 01	10		680 24	683 24	1
Two-way switch with 3 compact controls with indicator ⁽¹⁾	3 x 670 01	10		680 25	683 25	1
Two-way switch with 5 compact controls	5 x 670 01	10		680 11	683 11	1
Switch with 5 compact controls	5 x 670 02	10				
Two-way switch with 5 compact controls with indicator ⁽¹⁾	5 x 670 01	10		680 20	683 20	1

(1) Becomes illuminated with indicators (p. 546)
 (2) Mechanism supplied with titanium central rocker

NEW
Céliane™
 mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES			
				White 	Titanium 	Pack
LIGHTING AND DIMMING (continued)						
Double changeover pushbutton	2 x 670 31	10		680 02	683 02	10
Double pushbutton	2 x 670 32	10				
Double changeover pushbutton with indicator or illuminated ⁽¹⁾	2 x 670 31	10		680 04	683 04	10
Double pushbutton with indicator or illuminated ⁽¹⁾	2 x 670 32	10				
Double pushbutton with lever	2 x 670 36	10		680 19	683 19	10
Double silent pushbutton	2 x 670 33	10		680 18	683 18	10
Pushbutton with 3 compact controls	3 x 670 32	10		680 24	683 24	1
Changeover pushbutton with 3 compact controls	3 x 670 31	10				
Pushbutton with 3 compact controls with indicator	3 x 670 32	10		680 25	683 25	1
Changeover pushbutton with 3 compact controls with indicator	3 x 670 31	10				
Changeover pushbutton with 5 compact controls	5 x 670 31	10		680 11	683 11	1
Pushbutton with 5 compact controls	5 x 670 32	10				
Changeover pushbutton with 5 compact controls with indicator ⁽¹⁾	5 x 670 31	10		680 20	683 20	1
Pushbutton with 5 compact controls with indicator ⁽¹⁾	5 x 670 32	10				
PLC transmitter/receiver IR receiver single switch - 2500 W	672 01	1		680 71	683 71	10
PLC transmitter/receiver IR receiver single switch with indicator - 2500 W	672 03	1		680 73	683 73	10
PLC transmitter/receiver IR receiver double switch - 2 x 1000 W	672 02	1		680 72	683 72	10
PLC transmitter/receiver IR receiver double switch with indicator - 2 x 1000 W	672 04	1		680 74	683 74	10
PLC transmitter and IR receiver lighting scenarios controller	672 08	1		680 72	683 72	10

(1) Becomes illuminated with indicators (p. 546)

Céliane™

mechanisms and cover plates (continued)

MECHANISMS				ROCKER PLATES OR COVER PLATES				
					White	Titanium		
		Cat.Nos	Pack				Pack	
LIGHTING AND DIMMING (continued)								
PLC lighting environment controller		672 09	1		682 42	685 42	1	
PLC transmitter scenarios controller		672 80	1		680 90	683 90	10	
PLC scenarios controller with touch screen		672 84	1		680 92	683 92	1	
Automatic switch with on/off function without neutral 400 W		670 91	1		680 35	683 35	10	
Automatic switch with on/off function with neutral 1000 W		670 92	1					
Automatic switch without on/off function without neutral 400 W		670 97	1					
Automatic switch without on/off function with neutral 1000 W		670 98	1					
Automatic pilot light switch		670 93	1		680 51	683 51	1	
PLC transmitter/receiver automatic switch 1000 W			672 15	1		680 35	683 35	10
Dimmer switch, 300 W		670 81	1		680 31	683 31	10	
Dimmer switch, 400 W multiloads		670 84	1					
Dimmer switch, 600 W		670 82	1					
Dimmer universal switch, 300 W (for low consumption lamps)		670 85						
Touch control dimmer		670 43	1		680 43 Kaolin glass	683 43 Kaolin Glass 683 42 Titanium Glass 683 47 Graphite Glass	1	
Dimmer, 1000 W		670 86	1		680 33	683 33	1	
Remote control dimmer control		670 89	1		680 75	683 75	10	
Dimmer switch 400 W multiloads by learning procedure		670 87	1					
PLC transmitter/receiver and IR receiver dimmer switch, 300 W		672 10	1					
PLC transmitter/receiver and IR receiver dimmer switch with indicator, 300 W		672 12	1		680 76	683 76	10	
PLC transmitter/receiver and IR receiver dimmer switch with indicator, 600 W		672 14	1					
Timer switch without neutral, 1000 W		670 51	1		680 37	683 37	10	
Programmable time switch		670 53	1		680 38	683 38	1	

(1) Becomes illuminated or monitor with indicators (p. 546)

NEW
Céliane™
mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES			
				White	Titanium	
	Cat.Nos	Pack				Pack
LIGHTING AND DIMMING (continued)						
2-pole switch, 20 AX	670 21	10		680 21	683 21	21
2-pole switch, 20 AX with indicator ⁽¹⁾	670 21	10		680 23	683 23	10
Pull-cord 2-way switch 10 AX	670 08	10		680 08	683 08	10
Pull-cord pushbutton, 6 A	670 38	10				
2-position key-operated switch ⁽¹⁾	670 09	1		680 09	683 09	1
Card-operated switch	675 63	1		682 09	685 09	1
Key-switch for emergency lighting unit	675 31	1		681 99	684 99	1
ROLLER BLINDS/AWNINGS/SKYLIGHTS						
Switch	676 01	10		681 51	684 51	10
Touch control	670 45	1		680 45 Kaolin Glass	683 45 Kaolin Glass 683 44 Titanium Glass 683 48 Graphite Glass	1
Pushbutton	676 02	10		681 51	684 51	10
3-position key-operated pushbutton ⁽¹⁾	670 39	1		681 57	684 57	1
Daily programmable control switch	676 21	1		681 59	684 59	1
Relay for grouped blind controls (to be used in conjunction with Cat.No 676 21)	676 22	1		without cover plate		-
Control for skylight	676 04	10		681 51	684 51	10
Radio/RTS individual switch	672 69	1		681 79	684 79	1
PLC transmitter/receiver and IR receiver individual blind switch	672 51	1		681 61	684 61	10
PLC transmitter/receiver and IR receiver individual blind switch with programmable opening levels	672 56	1				
PLC transmitter/receiver and IR receiver individual blind switch with wind/sun override	672 55	1		681 65	684 65	1
PLC transmitter and IR receiver centralized blind switches	672 54	1		681 66	684 66	1
PLC transmitter and IR receiver centralized blind switches with activation indicator	672 53	1		681 63	684 63	10

(1) To be equipped with key barrel Cat.No 697 95 (p. 531)

Céliane™

mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES				
			Cat.Nos	Pack		Pack	
HEATING REGULATION							
PLC transmitter scenarios controller		672 80	1		680 90	683 90	10
Room thermostat		674 00	1		682 40	685 40	1
Programmable room thermostat		674 02	1		682 42	685 42	1
Floor heating		674 05	1		682 49	685 49	1
PLC room thermostat		674 40	1		682 45	685 45	1
PLC programmable room thermostat		674 42	1		682 42	685 42	1
CABLE OUTLETS/BLANKING PLATE							
Cable outlet		671 81	10		681 41	684 41	10
Cable outlet equipped with connection terminals		671 83	10				
Blanking plate		-	-		681 43	684 43	10
SOCKET OUTLETS							
2P socket		671 10	10		681 31	684 31	10
2P+E socket German standard, automatic terminals		671 53	10				
2P+E socket German standard, screw terminals		671 52	10		681 30	684 30	10
2P socket Euro/US		671 51	10		681 32	684 32	10
2P+E socket French standard, automatic terminals		671 11	10		681 11	684 11	10
2P+E socket French standard, screw terminals		671 13	10				
2P+E socket British standard		671 55	10		681 33	684 33	10
2P+E socket US standard		671 57	10		681 37	684 37	10
2P+E socket Italian standard		671 56	10		681 36	684 36	10
2 x 2P+E socket Italian standard		2 x 671 56	10		681 38	684 38	10

Red catalogue numbers: New products

NEW
Céliane™
 mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES			
				White	Titanium	
	Cat.Nos	Pack				Pack
VOLTAGE SURGE PROTECTOR						
Voltage surge protector	671 93	1		681 47	684 47	1
TELEPHONE AND DATA SOCKETS						
RJ 11 telephone socket	673 40	10				
RJ 12 telephone socket	673 41	10		682 37	685 37	10
Telephone socket for telephone and data distribution RJ 45 FTP Cat. 5e	673 37	10				
RJ 45 telephone + single TV socket	673 37 + 673 82	10		682 39	685 39	10
802.11 bg Wi-Fi access point 230 V power supply - White	673 64	1		682 58	-	1
802.11 bg Wi-Fi access point 230 V power supply - Titanium	673 65	1		-	685 58	1
802.11a + bg dual band manageable Wi-Fi access point Power supply via PoE	673 66	1		682 58	685 58	1
SUB D 9 socket	673 51	1		682 15	685 15	1
Female USB socket	673 52	1		682 53	685 53	1
RJ 45 socket - UTP Cat. 6	673 50	10				
RJ 45 socket - FTP Cat. 6	673 53	10		682 51	685 51	10
RJ 45 socket - STP with shielding Cat. 6	673 56	10				
Double socket, RJ 45 - UTP Cat. 6	2 x 673 50	10				
Double socket, RJ 45 - FTP Cat. 6	2 x 673 53	10		682 52	685 52	10
Double socket, RJ 45 - STP with shielding Cat. 6	2 x 673 56	10				
Copper switch - 6 RJ 45 ports	673 61	1		682 54	685 54	1
TV SOCKETS						
TV-R-SAT socket	673 88	10		682 85	685 85	10
2-cable TV-R-SAT socket	673 89	10				

Red catalogue numbers: New products

Céliane™

mechanisms and cover plates (continued)












MECHANISMS			ROCKER PLATES OR COVER PLATES			
			Cat.Nos	Pack		Pack
TV SOCKETS (continued)						
TV-R socket	673 83	10				
Throughwiring TV-R socket	673 84	10		682 83	685 83	10
Terminal TV-R socket	673 85	10				
Male single TV socket	673 82	10				
Male throughwiring TV socket	673 86	10		682 82	685 82	10
Male terminal TV socket	673 87	10				
Single socket for cable networks "F" type - screw type	673 98	1		682 87	685 87	10
LOUDSPEAKER SOCKETS						
Single loudspeaker socket	673 11	10		682 11	685 11	10
Double loudspeaker socket	2 x 673 11	10		682 12	685 12	10
AUDIO AND VIDEO SOCKETS						
Triple RCA female socket	673 13	1				
Double RCA + 1-S video socket	673 14	1		682 13	685 13	10
Video YUV socket	673 15	1				
2 x Triple RCA female socket	2 x 673 13	1				
2 x Double RCA + 1-S video socket	2 x 673 14	1		682 14	685 14	1
2 x Video YUV socket	2 x 673 15	1				

NEW
Céline™

mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES			
				White 	Titanium 	Pack
Cat.Nos	Pack					
AUDIO AND VIDEO SOCKETS (continued)						
Audio/video HDMI socket A type	673 17	1		682 16	685 16	1
Video HD 15 socket	673 16	1		682 15	685 15	1
Audio socket 3.5 Jack	673 18	1		682 17	685 17	1
SOUND DISTRIBUTION						
1 zone						
Tuner (input amplifier)	673 20	1		682 20	685 20	1
Power supply for tuner - with loudspeaker	673 21	1		682 29	685 29	1
Multizone						
Source input + power supply	673 24	1		682 21	685 21	1
Local control with display	673 23	1		682 23	685 23	1
Tuner extension - monitor-intercom	673 25	1		682 25	685 25	1
Loudspeaker						
Céline flush-mounting loudspeaker - Ø2"	673 28	1		682 28	685 28	1
SHAVER SOCKET						
Shaver socket (supplied with support)	671 59	1		681 35	684 35	1
PILOT LIGHTS						
Indicator light	676 51	1		supplied with cover plate		-

Céliane™
mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES						
			Cat.Nos	Pack		White 	Titanium 	Pack	
PILOT LIGHTS (continued)									
Self-contained pilot light	676 53	1		supplied with cover plate		-			
Detachable emergency light	676 58	1		680 58	683 58	1			
Automatic pilot light switch	670 93	1		680 51	683 51	1			
CENTRALISED VENTILATION									
Ventilation control	670 01	10		680 61	683 61	10			
Switch for lighting + delayed ventilation	674 23	1		680 37	683 37	10			
Ventilation switch	 674 51	1		682 70	685 70	1			
ACCESS CONTROL/ENTRY SYSTEMS									
Room chime with visual indicators, 230 V	675 41	1		682 01	685 01	1			
Room chime with visual indicators, 8-12 V	675 42	1							
Video additional internal panel	 675 45	1		682 05	685 05	1			
Audio additional internal panel	 675 47	1		682 07	685 07	1			
INTRUDER ALARM									
Transmitter keypad control unit	 675 10	1		681 82	684 82	1			
Presence detector	 675 12	1		681 83	684 83	1			

NEW

Céliane™
mechanisms and cover plates (continued)

MECHANISMS			ROCKER PLATES OR COVER PLATES					
			Cat.Nos	Pack		White 	Titanium 	Pack
INTRUDER ALARM (continued)								
Indoor siren		675 15	1		681 89	684 89	1	
DETECTORS								
Methane gas PLC detector		675 23	1		681 85	684 85	1	
Buthane, Propane gas, PLC detector		675 24	1					
Flood PLC detector		675 22	1					

Céliane™


universal supports and plates

71 mm fixing centres


Plates and supports:
Horizontal or vertical
mounting




1-gang



2-gang



3-gang



4-gang

NEUTRAL

White		686 31 + 802 51/61/69	686 32 + 802 52	686 33 + 802 53	686 34 + 802 54
Sand		687 51 + 802 51/61/69	687 52 + 802 52	687 53 + 802 53	687 54 + 802 54
Taupe		687 31 + 802 51/61/69	687 32 + 802 52	687 33 + 802 53	687 34 + 802 54
Cement		687 41 + 802 51/61/69	687 42 + 802 52	687 43 + 802 53	687 44 + 802 54
Khaki		686 41 + 802 51/61/69	686 42 + 802 52	686 43 + 802 53	686 44 + 802 54

FROSTED

Coconut		688 91 + 802 51/61/69	688 92 + 802 52	688 93 + 802 53	688 94 + 802 54
Mirabelle		688 51 + 802 51/61/69	688 52 + 802 52	688 53 + 802 53	688 54 + 802 54
Grapefruit		688 61 + 802 51/61/69	688 62 + 802 52	688 63 + 802 53	688 64 + 802 54
Lavender		688 81 + 802 51/61/69	688 82 + 802 52	688 83 + 802 53	688 84 + 802 54
Anise		688 71 + 802 51/61/69	688 72 + 802 52	688 73 + 802 53	688 74 + 802 54

GLAZED

Ice		688 01 + 802 51/61/69	688 02 + 802 52	688 03 + 802 53	688 04 + 802 54
Mandarin		688 41 + 802 51/61/69	688 42 + 802 52	688 43 + 802 53	688 44 + 802 54
Magenta		688 11 + 802 51/61/69	688 12 + 802 52	688 13 + 802 53	688 14 + 802 54
Cyan		688 31 + 802 51/61/69	688 32 + 802 52	688 33 + 802 53	688 34 + 802 54
Bamboo		688 21 + 802 51/61/69	688 22 + 802 52	688 23 + 802 53	688 24 + 802 54

ANODISED

Aluminium		689 21 + 802 51/61/69	689 22 + 802 52	689 23 + 802 53	689 24 + 802 54
Titanium		689 01 + 802 51/61/69	689 02 + 802 52	689 03 + 802 53	689 04 + 802 54
Mica		689 41 + 802 51/61/69	689 42 + 802 52	689 43 + 802 53	689 44 + 802 54
Copper		689 11 + 802 51/61/69	689 12 + 802 52	689 13 + 802 53	689 14 + 802 54
Cobalt		689 51 + 802 51/61/69	689 52 + 802 52	689 53 + 802 53	689 54 + 802 54
Graphite		689 31 + 802 51/61/69	689 32 + 802 52	689 33 + 802 53	689 34 + 802 54

(1) Supplied with fixing screws

NEW

71 mm fixing centres			Italian type boxes		
5-gang	2 x 2-gang	2 x 3-gang	2 modules in a 3-module support frame	2 x 2 modules	3 x 2 modules
686 40 + 5 x 802 51/61/69	686 08 + 802 64	686 09 + 802 66	686 11 + 802 13 ⁽¹⁾	686 38 + 802 14 ⁽¹⁾	686 39 + 802 16 ⁽¹⁾
-	-	-	686 13 + 802 13 ⁽¹⁾	687 58 + 802 14 ⁽¹⁾	687 59 + 802 16 ⁽¹⁾
-	-	-	686 14 + 802 13 ⁽¹⁾	687 38 + 802 14 ⁽¹⁾	687 39 + 802 16 ⁽¹⁾
-	-	-	686 15 + 802 13 ⁽¹⁾	687 48 + 802 14 ⁽¹⁾	687 49 + 802 16 ⁽¹⁾
-	-	-	686 12 + 802 13 ⁽¹⁾	686 48 + 802 14 ⁽¹⁾	686 49 + 802 16 ⁽¹⁾
-	-	-	-	688 98 + 802 14 ⁽¹⁾	688 99 + 802 16 ⁽¹⁾
-	-	-	-	688 58 + 802 14 ⁽¹⁾	688 59 + 802 16 ⁽¹⁾
-	-	-	-	688 68 + 802 14 ⁽¹⁾	688 69 + 802 16 ⁽¹⁾
-	-	-	-	688 88 + 802 14 ⁽¹⁾	688 89 + 802 16 ⁽¹⁾
-	-	-	-	688 78 + 802 14 ⁽¹⁾	688 79 + 802 16 ⁽¹⁾
-	-	-	-	688 08 + 802 14 ⁽¹⁾	688 09 + 802 16 ⁽¹⁾
-	-	-	-	688 48 + 802 14 ⁽¹⁾	688 49 + 802 16 ⁽¹⁾
-	-	-	-	688 18 + 802 14 ⁽¹⁾	688 19 + 802 16 ⁽¹⁾
-	-	-	-	688 38 + 802 14 ⁽¹⁾	688 39 + 802 16 ⁽¹⁾
-	-	-	-	688 28 + 802 14 ⁽¹⁾	688 29 + 802 16 ⁽¹⁾
-	-	-	689 61 + 802 13 ⁽¹⁾	689 28 + 802 14 ⁽¹⁾	689 29 + 802 16 ⁽¹⁾
-	689 68 + 802 64	689 69 + 802 66	689 60 + 802 13 ⁽¹⁾	689 08 + 802 14 ⁽¹⁾	689 09 + 802 16 ⁽¹⁾
-	-	-	-	689 48 + 802 14 ⁽¹⁾	689 49 + 802 16 ⁽¹⁾
-	-	-	-	689 18 + 802 14 ⁽¹⁾	689 19 + 802 16 ⁽¹⁾
-	-	-	-	689 58 + 802 14 ⁽¹⁾	689 59 + 802 16 ⁽¹⁾
-	-	-	689 62 + 802 13 ⁽¹⁾	689 38 + 802 14 ⁽¹⁾	689 39 + 802 16 ⁽¹⁾

Céliane™

universal supports and plates (continued)

		71 mm fixing centres			
Plates and supports: Horizontal or vertical mounting					
		1-gang	2-gang	3-gang	4-gang
MATERIALS					
Brushed stainless steel		691 01 + 802 51/61/69	691 02 + 802 52	691 03 + 802 53	691 04 + 802 54
Nickel Velvet		691 11 + 802 51/61/69	691 12 + 802 52	691 13 + 802 53	691 14 + 802 54
Oxidised copper		692 71 + 802 51/61/69	692 72 + 802 52	692 73 + 802 53	692 74 + 802 54
Oxidised iron		692 61 + 802 51/61/69	692 62 + 802 52	692 63 + 802 53	692 64 + 802 54
Corian® Antarctica ⁽²⁾		691 61 + 802 51/61/69	691 62 + 802 52	691 63 + 802 53	691 64 + 802 54
Corian® Nocturne ⁽²⁾		691 51 + 802 51/61/69	691 52 + 802 52	691 53 + 802 53	691 54 + 802 54
Corian® Pompeii Red ⁽²⁾		691 81 + 802 51/61/69	691 82 + 802 52	691 83 + 802 53	691 84 + 802 54
Maple		692 11 + 802 51/61/69	692 12 + 802 52	692 13 + 802 53	692 14 + 802 54
Mahogany		692 21 + 802 51/61/69	692 22 + 802 52	692 23 + 802 53	692 24 + 802 54
Wenge coloured ⁽¹⁾		692 01 + 802 51/61/69	692 02 + 802 52	692 03 + 802 53	692 04 + 802 54
Oak		692 31 + 802 51/61/69	692 32 + 802 52	692 33 + 802 53	692 34 + 802 54
Cedar		691 71 + 802 51/61/69	691 72 + 802 52	691 73 + 802 53	691 74 + 802 54
Porcelain ⁽³⁾		693 21 + 802 51/61/69	693 22 + 802 52	693 23 + 802 53	693 24 + 802 54
Kaolin glass		693 11 + 802 51/61/69	693 12 + 802 52	693 13 + 802 53	693 14 + 802 54
Titanium glass		693 41 + 802 51/61/69	693 42 + 802 52	693 43 + 802 53	693 44 + 802 54
Graphite glass		693 01 + 802 51/61/69	693 02 + 802 52	693 03 + 802 53	693 04 + 802 54
Camel leather		692 81 + 802 51/61/69	692 82 + 802 52	692 83 + 802 53	692 84 + 802 54
Wine-coloured leather		692 91 + 802 51/61/69	692 92 + 802 52	692 93 + 802 53	692 94 + 802 54
Brown-coloured leather		694 01 + 802 51/61/69	694 02 + 802 52	694 03 + 802 53	694 04 + 802 54

(1) Wenge coloured ash
(2) Registered trade mark of DuPont de Nemours

(3) Designed by Bernardaud worldwide famous Limoges manufacturer
(4) Supplied with fixing screws

NEW

71 mm fixing centres			Italian type boxes		
5-gang	2 x 2-gang	2 x 3-gang	2 modules in a 3-module support frame	2 x 2 modules	3 x 2 modules
691 10 + 5 x 802 51/61/69:	-	-	690 90 + 802 13 ⁽⁴⁾	691 08 + 802 14 ⁽⁴⁾	691 09 + 802 16 ⁽⁴⁾
691 20 + 5 x 802 51/61/69:	-	-	690 91 + 802 13 ⁽⁴⁾	691 18 + 802 14 ⁽⁴⁾	691 19 + 802 16 ⁽⁴⁾
-	-	-	-	692 78 + 802 14 ⁽⁴⁾	692 79 + 802 16 ⁽⁴⁾
-	-	-	-	692 68 + 802 14 ⁽⁴⁾	692 69 + 802 16 ⁽⁴⁾
-	-	-	-	691 68 + 802 14 ⁽⁴⁾	691 69 + 802 16 ⁽⁴⁾
-	-	-	-	691 58 + 802 14 ⁽⁴⁾	691 59 + 802 16 ⁽⁴⁾
-	-	-	-	691 88 + 802 14 ⁽⁴⁾	691 89 + 802 16 ⁽⁴⁾
692 20 + 5 x 802 51/61/69:	-	-	690 93 + 802 13 ⁽⁴⁾	692 18 + 802 14 ⁽⁴⁾	692 19 + 802 16 ⁽⁴⁾
692 30 + 5 x 802 51/61/69:	-	-	690 94 + 802 13 ⁽⁴⁾	692 28 + 802 14 ⁽⁴⁾	692 29 + 802 16 ⁽⁴⁾
692 10 + 5 x 802 51/61/69:	-	-	690 92 + 802 13 ⁽⁴⁾	692 08 + 802 14 ⁽⁴⁾	692 09 + 802 16 ⁽⁴⁾
-	-	-	-	-	-
693 20 + 5 x 802 51/61/69:	-	-	-	-	-
693 50 + 5 x 802 51/61/69:	-	-	-	-	-
692 90 + 5 x 802 51/61/69:	-	-	-	692 88 + 802 14 ⁽⁴⁾	692 89 + 802 16 ⁽⁴⁾
693 00 + 5 x 802 51/61/69:	-	-	-	692 98 + 802 14 ⁽⁴⁾	692 99 + 802 16 ⁽⁴⁾

Red catalogue numbers: New products


























Céliane™

special plates and universal supports

Céliane mechanisms:	<p>2-way switch 670 01</p> <p>Switch 670 02</p> <p>Changeover pushbutton 670 31</p> <p>Pushbutton 670 32</p>	<p>3 compact controls 3 x 670 01/31 3 x 670 02/32</p>	<p>Dimmer, 1000 W 670 86</p> <p>Lighting environment controller 672 09</p> <p>Wi-Fi access points⁽¹⁾ 673 64/65/66</p> <p>Programmable thermostats 674 02/42</p> <p>Audio door entry system 675 47</p> <p>Shaver socket⁽¹⁾ 671 59</p> <p>5 compact controls 5 x 670 01/31 5 x 670 02/32</p> <p>Gas detectors 675 23/24</p> <p>Flood detector 675 22</p> <p>Draw-out lamp 676 68</p>	<p>Copper switch 673 61</p>	<p>Scenario controller⁽¹⁾ 672 84</p> <p>Video door entry system⁽¹⁾ 675 45</p> <p>Indoor siren 675 15</p> <p>Keypad transmitter control unit 675 10</p>
Plates and supports: Horizontal or vertical mounting	<p>1-module plate</p>	<p>3-module plate</p>	<p>4/5-module plate</p>	<p>6/8-module plate</p>	<p>Special plate</p>
NEUTRAL					
White	686 30 + 802 50	686 21 + 802 13 ⁽²⁾	686 35 + 802 52	686 36 + 802 53	686 37
Sand		686 23 + 802 13 ⁽²⁾	687 55 + 802 52	687 56 + 802 53	
Taupe		686 24 + 802 13 ⁽²⁾	687 35 + 802 52	687 36 + 802 53	
Ciment		686 25 + 802 13 ⁽²⁾	687 45 + 802 52	687 46 + 802 53	
Khaki		686 22 + 802 13 ⁽²⁾	686 45 + 802 52	686 46 + 802 53	
FROSTED					
Coconut			688 95 + 802 52	688 96 + 802 53	
Mirabelle			688 55 + 802 52		
Grapefruit			688 65 + 802 52		
Lavender			688 85 + 802 52		
Anise			688 75 + 802 52		
GLAZED					
Ice			688 05 + 802 52	688 06 + 802 53	
Mandarin			688 45 + 802 52		
Magenta			688 15 + 802 52		
Cyan			688 35 + 802 52		
Bamboo			688 25 + 802 52		

(1) Mechanisms supplied with support
(2) Supplied with fixing screws





























NEW
Céliane™
special plates and universal supports (continued)

Plates and supports: Horizontal or vertical mounting	1-module plate	3-module plate	4/5-module plate	6/8-module plate	Special plate
ANODISED					
Aluminium 	-	689 66 + 802 13 ⁽⁴⁾	689 25 + 802 52	689 26 + 802 53	-
Titanium 	689 00 + 802 50	689 65 + 802 13 ⁽⁴⁾	689 05 + 802 52	689 06 + 802 53	689 07
Mica 	-	-	689 45 + 802 52	-	-
Copper 	-	-	689 15 + 802 52	-	-
Cobalt 	-	-	689 55 + 802 52	-	-
Graphite 	-	689 67 + 802 13 ⁽⁴⁾	689 35 + 802 52	689 36 + 802 53	-
MATERIALS					
Brushed stainless steel 	-	690 95 + 802 13 ⁽⁴⁾	691 05 + 802 52	691 06 + 802 53	691 07
Nickel Velvet 	-	690 96 + 802 13 ⁽⁴⁾	691 15 + 802 52	-	691 17
Oxidised copper 	-	-	692 75 + 802 52	-	-
Oxidised iron 	-	-	692 65 + 802 52	-	-
Corian® Antarctica⁽²⁾ 	-	-	691 65 + 802 52	-	691 67
Corian® Nocturne⁽²⁾ 	-	-	691 55 + 802 52	-	691 57
Corian® Pompeii Red⁽²⁾ 	-	-	691 85 + 802 52	-	-
Maple 	-	690 98 + 802 13 ⁽⁴⁾	692 15 + 802 52	-	692 17
Mahogany 	-	690 99 + 802 13 ⁽⁴⁾	692 25 + 802 52	-	692 27
Oak 	-	-	692 35 + 802 52	-	692 27
Cedar 	-	-	691 75 + 802 52	-	691 77
Wenge coloured⁽¹⁾ 	-	690 97 + 802 13 ⁽⁴⁾	692 05 + 802 52	-	692 07
Porcelain⁽³⁾ 	-	-	693 25 + 802 52	-	693 27
Kaolin glass 	-	-	693 15 + 802 52	-	693 17
Titanium glass 	-	-	693 45 + 802 52	-	693 47
Graphite glass 	-	-	693 05 + 802 52	-	693 07
Camel leather 	-	-	692 85 + 802 52	-	692 87
Wine-coloured leather 	-	-	692 95 + 802 52	-	692 97
Brown-coloured leather 	-	-	694 05 + 802 52	-	694 07

(1) Wenge coloured ash
(2) Registered trademark of DuPont de Nemours
(3) Designed by Bernardaud worldwide famous Limoges manufacturer
(4) Supplied with fixing screws

Céliane™

Batibox flush-mounting boxes

CÉLIANE PLATES 	1 MODULE 	1 GANG 	3 MODULES 2-GANG 		4/5 MODULES 2-GANG horizontal/vertical 	
UNIVERSAL SUPPORTS 	802 50 	802 51 	802 13 For Italian type boxes Supplied with screws 	802 59 71 mm fixing centres Supplied with screws 	802 14 For Italian type boxes Supplied with screws 	802 52 71 mm fixing centres 
DRY PARTITIONS 	800 40 depth 40 mm 	800 41 depth 40 mm 800 51 depth 50 mm 800 61 depth 60 mm 	800 49 depth 40 mm 		893 42 depth 40 mm 	800 42 depth 40 mm 800 52 depth 50 mm 
MULTI-MATERIAL 						
MASONRY 	801 40 depth 40 mm 	Square: 801 41 depth 40 mm 801 51 depth 50 mm Round Depth 40 mm: 801 08 with screws 	892 39 depth 50 mm 	801 49 depth 40 mm 	892 49 depth 50 mm 	2 x 801 41 depth 40 mm 2 x 801 51 depth 50 mm 
CONCRETE WALLS 	819 40 depth 58 mm 					

(1) Using 1-gang box associated

6/8 MODULES 3-GANG horizontal/vertical		4-GANG horizontal/vertical	SPECIAL PLATES	2 x 2-GANG	2 x 3-GANG	FOR SHAVER SOCKET
802 16 For Italian type boxes	802 53 71 mm fixing centres	802 54		802 64	802 66	
893 53 depth 50 mm	800 43 depth 40 mm 800 53 depth 50 mm	800 44 depth 40 mm 800 54 depth 50 mm				800 52 depth 50 mm
			801 24 depth 50 mm 2 x 2 gang or 2 x 4/5 modules	801 24 depth 50 mm 2 x 4/5 modules	801 26 depth 50 mm 2 x 6/8 modules	
892 50 depth 50 mm	3 x 801 41 depth 40 mm 3 x 801 51 depth 50 mm	4 x 801 41 depth 40 mm 4 x 801 51 depth 50 mm				801 55 depth 50 mm or 2 x 801 51 depth 50 mm