## Gold-Infrared IR-Lamps





| OAL Length | wattage | e voltage | End Style     | Stock Number |
|------------|---------|-----------|---------------|--------------|
| 118mm      | 500     | 230       | R7S (push in) | 796-0221     |
| 254mm      | 1200    | 230       | R7S (push in) | 796-0255     |
| 254mm      | 1300    | 230       | R7S (push in) | 796-0237     |
| 348mm      | 1500    | 230       | R7S (push in) | 796-0246     |
| 350mm      | 1000    | 230       | SK15 (wired)  | 796-0280     |
| 350mm      | 1000    | 110       | SK15 (wired)  | 796-0243     |
| 350mm      | 1200    | 230       | SK15 (wired)  | 796-0268     |
| 350mm      | 1300    | 230       | SK15 (wired)  | 796-0265     |
| 350mm      | 1500    | 230       | SK15 (wired)  | 796-0227     |
| 350mm      | 2000    | 230       | SK15 (wired)  | 796-0277     |

## **APPLICATIONS**

Gold infrared lamps reduce the glare of the light output as much as possible even more than the ruby lamp range. They can be supplied in a range of lengths from 78 -788mm. These lamps are simple, effective, reliable,and economical to run.

The most common lengths and wattages are listed below, please call us should you require a different length.

They are used for outdoor heating of restaurants, cafe, terraces, space heating, factories, sports halls, stadiums, churches, storage areas, garages etc.

The lamps are dimmer-able so can be temperature controlled via a power regulator.

## CONSTRUCTION

Manufactured from gold coated quartz 10mm diameter, they convert virtually all the electrical power into heat, hardly no energy is wasted.

They can be switched on/off instantly so heat is given instantly.

## INSTALLATION

These lamps are suitable for universal orientations so will suit most installation positions. Even though they are easy to install and replace, care must be taken not to touch the tube with bare hands and that the ends sits correctly in the holder.