

## Insulating sleeve - MPS-IH GY - 0201728

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Insulating sleeve, Color: gray

Illustration of color insulating sleeves for MPS metal part

### Why buy this product

- Two-piece test plug for individual plug color combinations
- The test plugs are inserted in the function shaft of terminal blocks from the CLIPLINE complete system or in the test connections provided

### Key Commercial Data

|                                      |   |
|--------------------------------------|---|
| Packing unit                         | 1 STK   |
| Minimum order quantity               | 10 STK  |
| GTIN                                 | <br>4 017918 099107 |
| GTIN                                 | 4017918099107   |
| Weight per Piece (excluding packing) | 0.490 g   |
| Custom tariff number                 | 85472000  |
| Country of origin                    | Poland  |

### Technical data

#### Dimensions

|        |       |
|--------|-------|
| Height | 15 mm |
| Length | 5 mm  |
| Width  | 5 mm  |

#### General

|       |      |
|-------|------|
| Color | gray |
|-------|------|

# Insulating sleeve - MPS-IH GY - 0201728

## Technical data

|                                 |                   |
|---------------------------------|-------------------|
| Material                        | PA                |
| Ambient temperature (operation) | -40 °C ... 125 °C |

## Standards and Regulations

|  |    |
|--|----|
| Flammability rating according to UL 94 | V0 |
|--|----|

## Environmental Product Compliance

|            |   |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27060306 |
| eCl@ss 4.1 | 27060306 |
| eCl@ss 5.0 | 27061801 |
| eCl@ss 5.1 | 27141190 |
| eCl@ss 6.0 | 27141190 |
| eCl@ss 7.0 | 27141190 |
| eCl@ss 8.0 | 27141190 |
| eCl@ss 9.0 | 27141190 |

### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000899 |
| ETIM 3.0 | EC000899 |
| ETIM 4.0 | EC000448 |
| ETIM 5.0 | EC002848 |
| ETIM 6.0 | EC002848 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 31251501 |
| UNSPSC 7.0901 | 31251501 |
| UNSPSC 11     | 31251501 |
| UNSPSC 12.01  | 31251501 |
| UNSPSC 13.2   | 39121410 |

## Approvals

### Approvals

---

## Insulating sleeve - MPS-IH GY - 0201728

### Approvals

Approvals

EAC

---

Ex Approvals

---

### Approval details

|     |   |               |
|-----|---|---------------|
| EAC |  | EAC-Zulassung |
|-----|---|---------------|

---