




DESIGN KIT

WE-CMBNC Common Mode Power Line Choke



SIZE:

XS / M / L / XL / XXL

TECHNICAL DATA:

L: 0.4 – 190 mH

I_R : 0.9 – 38 A


R_{DC} : 1.1 – 430 m Ω

Order Code 744 800

Version 1.0

WE-CMBNC

Common Mode Power Line Choke



	XS	M	L	XL	XXL																				
	<table border="1"> <tr><td>744 801 450 1</td></tr> <tr><td>L: 0.4 mH</td></tr> <tr><td>I_R: 4.5 A</td></tr> <tr><td>R_{DC}: 22 mΩ</td></tr> </table>	744 801 450 1	L: 0.4 mH	I _R : 4.5 A	R _{DC} : 22 mΩ	<table border="1"> <tr><td>744 803 150 1</td></tr> <tr><td>L: 1 mH</td></tr> <tr><td>I_R: 15 A</td></tr> <tr><td>R_{DC}: 3.3 mΩ</td></tr> </table>	744 803 150 1	L: 1 mH	I _R : 15 A	R _{DC} : 3.3 mΩ	<table border="1"> <tr><td>744 804 200 1</td></tr> <tr><td>L: 1 mH</td></tr> <tr><td>I_R: 20 A</td></tr> <tr><td>R_{DC}: 2.4 mΩ</td></tr> </table>	744 804 200 1	L: 1 mH	I _R : 20 A	R _{DC} : 2.4 mΩ	<table border="1"> <tr><td>744 805 320 1</td></tr> <tr><td>L: 0.9 mH</td></tr> <tr><td>I_R: 32 A</td></tr> <tr><td>R_{DC}: 1.1 mΩ</td></tr> </table>	744 805 320 1	L: 0.9 mH	I _R : 32 A	R _{DC} : 1.1 mΩ	<table border="1"> <tr><td>744 806 380 1</td></tr> <tr><td>L: 1.5 mH</td></tr> <tr><td>I_R: 38 A</td></tr> <tr><td>R_{DC}: 2.3 mΩ</td></tr> </table>	744 806 380 1	L: 1.5 mH	I _R : 38 A	R _{DC} : 2.3 mΩ
744 801 450 1																									
L: 0.4 mH																									
I _R : 4.5 A																									
R _{DC} : 22 mΩ																									
744 803 150 1																									
L: 1 mH																									
I _R : 15 A																									
R _{DC} : 3.3 mΩ																									
744 804 200 1																									
L: 1 mH																									
I _R : 20 A																									
R _{DC} : 2.4 mΩ																									
744 805 320 1																									
L: 0.9 mH																									
I _R : 32 A																									
R _{DC} : 1.1 mΩ																									
744 806 380 1																									
L: 1.5 mH																									
I _R : 38 A																									
R _{DC} : 2.3 mΩ																									
	<table border="1"> <tr><td>744 801 130 5</td></tr> <tr><td>L: 5 mH</td></tr> <tr><td>I_R: 1.3 A</td></tr> <tr><td>R_{DC}: 200 mΩ</td></tr> </table>	744 801 130 5	L: 5 mH	I _R : 1.3 A	R _{DC} : 200 mΩ	<table border="1"> <tr><td>744 803 050 9</td></tr> <tr><td>L: 9 mH</td></tr> <tr><td>I_R: 5 A</td></tr> <tr><td>R_{DC}: 28 mΩ</td></tr> </table>	744 803 050 9	L: 9 mH	I _R : 5 A	R _{DC} : 28 mΩ	<table border="1"> <tr><td>744 804 070 7</td></tr> <tr><td>L: 7 mH</td></tr> <tr><td>I_R: 7 A</td></tr> <tr><td>R_{DC}: 20 mΩ</td></tr> </table>	744 804 070 7	L: 7 mH	I _R : 7 A	R _{DC} : 20 mΩ	<table border="1"> <tr><td>744 805 101 2</td></tr> <tr><td>L: 12 mH</td></tr> <tr><td>I_R: 10 A</td></tr> <tr><td>R_{DC}: 15 mΩ</td></tr> </table>	744 805 101 2	L: 12 mH	I _R : 10 A	R _{DC} : 15 mΩ	<table border="1"> <tr><td>744 806 130 9</td></tr> <tr><td>L: 9 mH</td></tr> <tr><td>I_R: 13 A</td></tr> <tr><td>R_{DC}: 15 mΩ</td></tr> </table>	744 806 130 9	L: 9 mH	I _R : 13 A	R _{DC} : 15 mΩ
744 801 130 5																									
L: 5 mH																									
I _R : 1.3 A																									
R _{DC} : 200 mΩ																									
744 803 050 9																									
L: 9 mH																									
I _R : 5 A																									
R _{DC} : 28 mΩ																									
744 804 070 7																									
L: 7 mH																									
I _R : 7 A																									
R _{DC} : 20 mΩ																									
744 805 101 2																									
L: 12 mH																									
I _R : 10 A																									
R _{DC} : 15 mΩ																									
744 806 130 9																									
L: 9 mH																									
I _R : 13 A																									
R _{DC} : 15 mΩ																									
	<table border="1"> <tr><td>744 801 091 1</td></tr> <tr><td>L: 11 mH</td></tr> <tr><td>I_R: 0.9 A</td></tr> <tr><td>R_{DC}: 430 mΩ</td></tr> </table>	744 801 091 1	L: 11 mH	I _R : 0.9 A	R _{DC} : 430 mΩ	<table border="1"> <tr><td>744 803 033 3</td></tr> <tr><td>L: 33 mH</td></tr> <tr><td>I_R: 2.5 A</td></tr> <tr><td>R_{DC}: 90 mΩ</td></tr> </table>	744 803 033 3	L: 33 mH	I _R : 2.5 A	R _{DC} : 90 mΩ	<table border="1"> <tr><td>744 804 038 2</td></tr> <tr><td>L: 82 mH</td></tr> <tr><td>I_R: 2.5 A</td></tr> <tr><td>R_{DC}: 170 mΩ</td></tr> </table>	744 804 038 2	L: 82 mH	I _R : 2.5 A	R _{DC} : 170 mΩ	<table border="1"> <tr><td>744 805 021 9</td></tr> <tr><td>L: 190 mH</td></tr> <tr><td>I_R: 2 A</td></tr> <tr><td>R_{DC}: 310 mΩ</td></tr> </table>	744 805 021 9	L: 190 mH	I _R : 2 A	R _{DC} : 310 mΩ	<table border="1"> <tr><td>744 806 053 5</td></tr> <tr><td>L: 35 mH</td></tr> <tr><td>I_R: 5 A</td></tr> <tr><td>R_{DC}: 90 mΩ</td></tr> </table>	744 806 053 5	L: 35 mH	I _R : 5 A	R _{DC} : 90 mΩ
744 801 091 1																									
L: 11 mH																									
I _R : 0.9 A																									
R _{DC} : 430 mΩ																									
744 803 033 3																									
L: 33 mH																									
I _R : 2.5 A																									
R _{DC} : 90 mΩ																									
744 804 038 2																									
L: 82 mH																									
I _R : 2.5 A																									
R _{DC} : 170 mΩ																									
744 805 021 9																									
L: 190 mH																									
I _R : 2 A																									
R _{DC} : 310 mΩ																									
744 806 053 5																									
L: 35 mH																									
I _R : 5 A																									
R _{DC} : 90 mΩ																									

EMC COMPONENTS | INDUCTORS | TRANSFORMERS | RF COMPONENTS | CIRCUIT PROTECTION | EMC SHIELDING MATERIAL | CONNECTORS | SWITCHES | ASSEMBLY TECHNIQUE | POWER ELEMENTS

Important information: Würth Elektronik's design kits contain reference components. These components correspond with the current product development status on the day of supply. Exchange of the reference components to components with up-to-date product development status is not carried out automatically. No liability is taken for the use of these reference components. Therefore, please request new samples prior to releases for series production and product release.

Please check datasheets on www.we-online.com for specifications. Würth Elektronik eiSos GmbH & Co. KG, EMC & Inductive Solutions. © 2014

www.we-online.com

All products
in stock!