

Rittal – The System.

Faster – better – everywhere.

Hygienic Design Printer enclosure HD – HD 4000.064

Date : Mar 19, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Hygienic Design Printer enclosure HD – HD 4000.064

created: 19.03.2018 build on www.rittal.com/us-en



The product is used in industry/IT projects.

Product description

Version:	Enclosure angled forwards by 3°
Benefits:	For hygienic and safe installation of printers in production areas Can be combined with HD command panel to form a complete PC enclosure Device bases are removable and height adjustable for quick access to printer, e.g. for changing the labels
Material:	Housing and door: Stainless steel 1.4301 (AISI 304) Lock inserts HD: Stainless steel 1.4404 (AISI 316L) Seal: Silicone, compliant with FDA Guideline 21 CFR 177.2600 Component shelf: Carbon steel, spray finished Component shelf: Carbon steel, spray finished
Surface finish:	Housing and door: Brushed, grain 400, peak-to-valley height < 0.8 µm Seal: Blue, dyed (RAL 5010)
Protection category IP to IEC 60 529:	IP 66
Protection category IP to DIN 40 050-9:	IP 69K
Supply includes:	Housing of all-round solid construction Door with fitted seal Door catch on right, may be swapped to the left Component shelf
Options:	HD supporting structure with leveling Without side rails Without component shelf With mounting plate HD supporting structure with leveling

Product features

Dimensions:	Height (front): 863 mm (34 ") Height (rear): 888 mm (35 ") Width: 810 mm (32 ") Depth: 496 mm (20 ")
Material thickness::	Housing: 1.5 mm (0.06 ") Door: 2 mm (0.08 ")
Packaging unit:	1 pc(s).
Weight/packaging unit:	54.2 kg (119.5 lb.)
EAN:	4028177709522
Customs tariff number:	94032080
ETIM 6.0:	EC000261
ETIM 5.0:	EC000261
eCl@ss 8.0/8.1:	27180101
eCl@ss 7.0/7.1:	27180101
eCl@ss 6.0/6.1:	27180101
eCl@ss 5.1/5.1.4:	27180102