

# CL-LSR.CX12DC1



Products → Low Voltage Products and Systems → Control Products → Electronic Relays and Controls  
→ Logic Relays

## General Information

<b>Extended Product Type:</b>	CL-LSR.CX12DC1
<b>Product ID:</b>	1SVR440710R0200
<b>EAN:</b>	4013614389498
<b>Catalog Description:</b>	CL-LSR.CX12DC1 Logic relay 12VDC, 8I/4O, relay
<b>Long Description:</b>	The CL-LSR.CX12DC1 is a logic relay from the CL range. It has 8 digital inputs and 4 relay outputs. The logic relay operates with an input voltage of 12 V DC. 128 rungs with 3 contacts in series plus 1 coil can be programmed. The following functions are available: 8 week and 8 year timers, 16 multi-function timing relays, 4 operating hours counters, 16 analog value comparators and threshold value switches

## Ordering

<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	85371091

## Popular Downloads

<b>Data Sheet, Technical Information:</b>	2CDC110004D0210_06
<b>Instructions and Manuals:</b>	1SVC440796M3000

## Dimensions

<b>Product Net Width:</b>	71.5 mm
<b>Product Net Depth:</b>	58 mm
<b>Product Net Height:</b>	90 mm
<b>Product Net Weight:</b>	0.2 kg

## Technical

<b>Function:</b>	Logic relays stand alone
<b>Sub-Function:</b>	Non expandable
<b>Number of Digital In/Outputs:</b>	8 Digital Inputs / 4 Relay Outputs
<b>Rated Operational Voltage:</b>	12 V DC

## Environmental

<b>RoHS Status:</b>	Following EU Directive 2011/65/EU
---------------------	-----------------------------------

## Certificates and Declarations (Document Number)

<b>CSA Certificate:</b>	CSA_1875990
-------------------------	-------------



<b>Declaration of Conformity - CE:</b>	1SVD982001-0001
<b>DNV GL Certificate:</b>	DNV_GL_TAA0000192
<b>EAC Certificate:</b>	EAC_RU_C-DE.AB72.B.01802
<b>Environmental Information:</b>	1SAA981012-2401
<b>Instructions and Manuals:</b>	1SVC440796M3000
<b>LR Certificate:</b>	LR_07_20020
<b>RoHS Information:</b>	1SVD982001-0001
<b>UL Certificate:</b>	UL_E179811



## Container Information

<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	78 mm
<b>Package Level 1 Height:</b>	67 mm
<b>Package Level 1 Length:</b>	94 mm
<b>Package Level 1 Gross Weight:</b>	0.238 kg
<b>Package Level 1 EAN:</b>	4013614389498

## Classifications

<b>Object Classification Code:</b>	K
<b>ETIM 4:</b>	EC001417 - Logic module
<b>ETIM 5:</b>	EC001417 - Logic module
<b>ETIM 6:</b>	EC001417 - Logic module
<b>ETIM 7:</b>	EC001417 - Logic module
<b>eClass:</b>	7.0 27242216
<b>UNSPSC:</b>	39121500





20DC 312 026 F0b06