

## 950 PKL L-key, imperial, BlackLaser, Hex-Plus, 5/16 inch

### L-Keys for Hexagon Socket Screws



|                        |               |                               |             |
|------------------------|---------------|-------------------------------|-------------|
| <b>EAN:</b>            | 4013288018939 | <b>Size:</b>                  | 200x36x9 mm |
| <b>Part number:</b>    | 05022082001   | <b>Weight:</b>                | 96 g        |
| <b>Article number:</b> | 950 PKL inch  | <b>Country of origin:</b>     | CZ          |
|                        |               | <b>Customs tariff number:</b> | 82054000    |

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Hexagonal ballpoint on the long arm
- BlackLaser for high corrosion protection and long service life
- Metric

High quality L-keys for imperial hexagonal socket screws. Hex-Plus offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. The ball-end on the long arm allows for reliable working even in difficult installation situations. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

#### Web link

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl\\_inch.html](http://products.wera.de/en/tools_for_the_aerospace_segment_l-keys_l-keys_for_hexagon_socket_screws_950_pkl_inch.html)

Wera - 950 PKL inch  
05022082001 - 4013288018939

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

### L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened – and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

### Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

### Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, “around-the-corner” screwdriving jobs.

### Surface protection



Chrome-plated hexagon L-keys for outstanding surface protection and long service life. High corrosion protection.

## Size identification



The size of each L-keys has been engraved by a laser. In addition SPKL L-keys have a colour coding according to sizes – for simple and rapid accessing of the required tool. Making it easy to find the right tool.

### Web link






[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl\\_inch.html](http://products.wera.de/en/tools_for_the_aerospace_segment_l-keys_l-keys_for_hexagon_socket_screws_950_pkl_inch.html)

Wera - 950 PKL inch  
05022082001 - 4013288018939

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

Further versions in this product family:

|                           |  |  |  |  |  |
|---------------------------|---|---|---|---|---|
|                           | inch  | mm  | mm  | inch  | inch  |
| 05022079001 <sup>1)</sup> | 0.05  | 83  | 14  | 3 1/4   | 9/16  |
| 05022081001 <sup>1)</sup> | 1/16  | 91  | 15  | 3 1/2   | 19/32   |
| 05022068001               | 5/64  | 100   | 16  | 4   | 5/8   |
| 05022070001               | 3/32  | 112   | 18  | 4 7/16  | 23/32   |
| 05022071001               | 7/64  | 119   | 19  | 4 3/4   | 3/4   |
| 05022072001               | 1/8   | 126   | 20  | 5   | 25/32   |
| 05022073001               | 9/64  | 132   | 23  | 5 3/16  | 29/32   |
| 05022074001               | 5/32  | 140   | 25  | 5 1/2   | 1   |
| 05022076001               | 3/16  | 160   | 25  | 6 5/16  | 1   |
| 05022078001               | 7/32  | 180   | 27  | 7 1/16  | 1 1/16  |
| 05022080001               | 1/4   | 190   | 34  | 7 1/2   | 1 5/16  |
| <b>05022082001</b>        | <b>5/16</b>   | <b>200</b>  | <b>36</b>   | <b>8</b>  | <b>1 7/16</b>   |
| 05022095001               | 3/8   | 212   | 38  | 8 3/8   | 1 1/2   |
| 05022096001               | 1/2   | 224   | 40  | 9   | 1 9/16  |

1) Regular hexagon

## Web link

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl\\_inch.html](http://products.wera.de/en/tools_for_the_aerospace_segment_l-keys_l-keys_for_hexagon_socket_screws_950_pkl_inch.html)

Wera - 950 PKL inch  
05022082001 - 4013288018939

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de