


Bits for Hexagon Socket Screws



<b>EAN:</b>	4013288161406	<b>Size:</b>	50x3x3 mm
<b>Part number:</b>	05350430001	<b>Weight:</b>	7 g
<b>Article number:</b>	840/4 Z Hex-Plus	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- For socket head screws
- Ductile and tough for hard materials
- Hex-Plus allows socket head screws to live longer
- 1/4" hexagon drive (Wera connecting series 4)
- Suitable for AEG, ARO, Atlas-Copco, Biax, Black & Decker, Bosch, Buckeye Tools etc.

Tough viscous Wera bits for hexagon socket screws for universal use. The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

**Web link**

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_4\\_z\\_hex-plus.html](http://products.wera.de/en/tools_for_the_aerospace_segment_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html)

Wera - 840/4 Z Hex-Plus  
05350430001 - 4013288161406

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bits for Hexagon Socket Screws

## Hex-Plus






## Tough-absorbing bits



Hexagon socket screws are a problem, because the contact surfaces that transfer the force of the tool to the screw are very narrow. The consequence: the head of the screw can be damaged, usually rounding out the recess. Hex-Plus tools have larger contact surfaces to prevent this, driving from the flats of the recess, rather than the corners. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

## Further versions in this product family:

	 mm	 inch	 mm	 inch	 mm
05160885001	0.9		50	2	2.6
05059602001	1.5		50	2	2.0
05059603001	2.0		50	2	4.0
05059628001	2.0		89	3 1/2	4.0
05059604001	2.5		50	2	4.0
05059629001	2.5		89	3 1/2	4.0
05059605001	3.0		50	2	4.0
05059630001	3.0		89	3 1/2	4.0
05380033001	3.0		152	6	4.0
05059610001	4.0		50	2	5.0
05059631001	4.0		89	3 1/2	5.0
05059634001	4.0		152	6	5.0
05059615001	5.0		50	2	6.0
05059632001	5.0		89	3 1/2	6.0
05059635001	5.0		152	6	6.0

## Web link

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_4\\_z\\_hex-plus.html](http://products.wera.de/en/tools_for_the_aerospace_segment_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html)

Wera - 840/4 Z Hex-Plus  
05350430001 - 4013288161406

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bits for Hexagon Socket Screws

05059620001	6.0	50	2	5.0
05059633001	6.0	89	3 1/2	-
05059636001	6.0	152	6	-
05059625001	8.0	50	2	-
<b>05350430001</b>	<b>0.05</b>	<b>50</b>	<b>2</b>	<b>2.5</b>
05135090001	1/16	50	2	2.5
05380045001	1/8	152	6	4.0
05135091001	5/64	50	2	3.0
05059660001	5/64	89	3 1/2	3.0
05135092001	3/32	50	2	3.0
05059661001	3/32	89	3 1/2	3.5
05135093001	7/64	50	2	3.5
05059662001	7/64	89	3 1/2	4.0
05135094001	1/8	50	2	4.0
05059663001	1/8	89	3 1/2	4.0
05135095001	9/64	50	2	4.5
05059664001	9/64	89	3 1/2	4.5
05380046001	9/64	152	6	4.5
05135096001	5/32"	50	2	5.0
05059665001	5/32"	89	3 1/2	5.0
05380047001	5/32"	152	6	5.0
05135097001	3/16"	50	2	6.0
05059666001	3/16"	89	3 1/2	6.0
05380048001	3/16"	152	6	6.0
05135098001	7/32"	50	2	-
05059667001	7/32"	89	3 1/2	-
05380049001	7/32"	152	6	-
05135099001	1/4	50	2	-
05059668001	1/4	89	3 1/2	-
05380050001	1/4	152	6	-
05346288001	5/16	50	2	-

## Web link

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_4\\_z\\_hex-plus.html](http://products.wera.de/en/tools_for_the_aerospace_segment_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html)

Wera - 840/4 Z Hex-Plus  
05350430001 - 4013288161406

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)