

TE Internal #: DT4P-L012-GKT

Automotive Seals & Cavity Plugs, Gasket, Closed Cell Sponge,

Black, 4 Position, -70 – 225 °F [-57 – 107 °C]

View on TE.com >

Connectors > Automotive Connectors > Automotive Seals & Cavity Plugs

Connector Seal Type: Gasket
Seal Material: Closed Cell Sponge

Operating Temperature (Max): 107 °C [225 °F]

Contains Lubricant: No
Primary Product Color: Black

Features

Product Type Features

Connector Seal Type	Gasket	
Configuration Features		

Configuration Features

Number of Positions	4	

Body Features

Seal Material	Closed Cell Sponge
Primary Product Color	Black

Usage Conditions

Operating Temperature (Max)	107 °C[225 °F]
Operating Temperature Range	-57 - 107 °C[-70 - 225 °F]

Industry Standards

Packaging Features

Packaging Method	Box
------------------	-----

Other

Contains Lubricant	No	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

Automotive Seals & Cavity Plugs, Gasket, Closed Cell Sponge, Black, 4 Position, -70 – 225 °F [-57 – 107 °C]

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # CAT-J41-DDRC
DEUTSCH DT Receptacle Connectors

TE Part # CAT-D487-CH8172
DEUTSCH DT Series Housings & Connectors

Customers Also Bought

TE Part #DT04-2P-L012

DEUTSCH DT Receptacle Connectors

TE Part #9-2176398-3

TE Part #9-2176398-3

TE Part #DTP04-4P-L012

REC, 4P, GRY, N, FLANGE

TE Part #DT3P-L012-GKT

GASKET, 3P, BLK, DT/DTM

Automotive Seals & Cavity Plugs, Gasket, Closed Cell Sponge, Black, 4 Position, -70 – 225 °F [-57 – 107 °C]

TE Part #DTP4P-L012-GKT GASKET, 4P, BLK, DTP

TE Part #DT8P-L012-GKT GASKET, 8P, BLK, DT/DTM

TE Part #DTM4P-BT BOOT, 4P, REC, ST, GRY TE Part #DT12-L012-GKT GASKET DT 12 WY FLD RC

Documents

Product Drawings

GASKET, 4P, BLK, DT/DTM

English

CAD Files

Customer View Model

ENG_CVM_CVM_DT4P-L012-GKT_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_DT4P-L012-GKT_A.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_DT4P-L012-GKT_A.3d_igs.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English