SIEMENS

Data sheet **3RK1901-2NN10**

AS-Interface distributor compact for AS-i profile cable IP 67/68/69K, max. 8 A

General technical data		
Type of device		AS-Interface accessories
Function		distribution function for AS-i flat cables
operating voltage according to AS-Interface spezification	V	26.5 ... 31.6
operational current rated value	A	8
Note		cable must not end in the feeder

Connections/ Terminals		
type of electrical connection		insulation piercing method for AS-Interface flat cable

Mechanical data		
Type of mounting		screw fixing
tightening torque of fixing screw	N·m	1.65 ... 1.65
Contacts Load rating max	A	12

Ambient conditions		
ambient temperature	°C	-25 ... +75
ambient temperature during storage	°C	-25 ... +85
degree of protection		IP67/68/69K

Certificates/ approvals				
General Product Approval	**EMC**	**Declaration of Conformity**		**Marine / Shipping**
Confirmation				

other				
Confirmation				

Further information

Siemens has decided to exit the Russian market (see here).
https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business
Siemens is working on the renewal of the current EAC certificates.
Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).
Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
**Information- and Downloadcenter (Catalogs, Brochures,…)**
https://www.siemens.com/ic10

last modified: 12/23/2020