

PRODUCT-DETAILS

RB14-6F INS NYL FORK TERM 18-14 BHNo6 BLUE



Extended Product Type	RB14-6F
Product ID	7TAI029810R0013
EAN	5414363158424
Catalog Description	INS NYL FORK TERM 18-14 BHNo6 BLUE
Long Description	Nylon Insulated Fork Terminal, Length .87 Inches, Width .31 Inches, Maximum Insulation .162, Bolt Hole #6, Wire Range #18-#14 AWG, Color Blue, Copper, Tin Plated, 100 Pack

Ordering	
EAN	5414363158424
UPC	786210804033
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information		
Package Level 1 Units	100 EA	
Package Level 1 Width	27.94 mm 1.1 in	
Package Level 1 Height	76.2 mm 3 in	
Package Level 1 Depth /	53.086 mm	

RB14-6F 2

Length	2.09 in
Package Level 2 Units	500 EA
Package Level 2 Width	228.6 mm 9 in
Package Level 2 Height	185.42 mm 7.3 in
Package Level 2 Depth / Length	264.16 mm 10.4 in
Package Level 3 Units	5000 EA
Package Level 3 Width	182.88 mm 7.2 in
Package Level 3 Height	225.806 mm 8.89 in
Package Level 3 Depth / Length	264.16 mm 10.4 in

Environmental

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22. 2019

Additional Information	
Brand / Label	Sta-Kon
Color	Blue
Effective Date	19750108
Material	Copper
Product Name	Terminals, electrical splices and electr ical couplings; wafer probers /note: See 9903.88.67.
Product Type	Nylon Insulated Fork Terminal
Special Functions	Inner bronze insulation grip sleeve lengthens flex radius of conductor and eliminates conductor creep. Nylon jacket is color-coded.
Standards	UL E9809
Voltage Rating	600 V
Wire Size	18-14 AWG

Certificates and Declarations

Data Sheet, Technical RB14-6F Information

Classifications	
ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

RB14-6F 3

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Compression\ \&\ Mechanical\ Connectors$

