


# Glass fiber optic FE-BTSAS6S-3



- Cylindrical sensing head
- Right angle optics
- 5/16 - 24 UNF thread
- Durable stainless steel sheathing

Glass fiber optic - diffuse

## Dimensions



## Technical Data

### General specifications

Sensor range		MHP-FR: 36 mm MHP-F: 80 mm RL(K)61-LL: 155 mm MPG6HD: 170 mm
Fiber optic length	l	3 ft (.914 m)
End piece		Optical axis: Right angle Type: Cylindrical / smooth barrel Thread size: 5/16 - 24 UNF
Bending radius		min. 25 mm
Fiber bundle diameter		3.2 mm

### Ambient conditions

Ambient temperature		-40 ... 232 °C (-40 ... 449.6 °F)
---------------------	--	-----------------------------------

### Mechanical specifications

Material		
Optical face		glass
Sheathing		Stainless steel 1.4305 / AISI 303
Core		glass
End piece		Stainless steel 1.4305 / AISI 303, brass

Release date: 2020-11-02 Date of issue: 2020-11-02 Filename: 453604\_eng.pdf

Refer to "General Notes Relating to Pepperl+Fuchs Product Information".

Pepperl+Fuchs Group  
www.pepperl-fuchs.com

USA: +1 330 486 0001  
fa-info@us.pepperl-fuchs.com

Germany: +49 621 776 1111  
fa-info@de.pepperl-fuchs.com

Singapore: +65 6779 9091  
fa-info@sg.pepperl-fuchs.com

**PEPPERL+FUCHS**

## Technical Data

Adapter	Stainless steel, 4.7 mm diameter
<b>General information</b>	
Scope of delivery	2 hex nuts included
<b>Fiber optic amplifiers</b>	
Device series	MP, MHP, Series 61

## Installation

**Note:** If after installing the device the yellow signal indicator lights up or flashes, the sensor detects a nonexisting object. Reduce the sensitivity of the sensor.

## Application

**Attention:**

Fiber optics must not be twisted or kinked. Excessive tensile loads will lead to destruction. Contact with petrol or organic solvents must be prevented.



Release date: 2020-11-02 Date of issue: 2020-11-02 Filename: 453604\_eng.pdf

Refer to "General Notes Relating to Pepperl+Fuchs Product Information".

Pepperl+Fuchs Group  
www.pepperl-fuchs.com

USA: +1 330 486 0001  
fa-info@us.pepperl-fuchs.com

Germany: +49 621 776 1111  
fa-info@de.pepperl-fuchs.com

Singapore: +65 6779 9091  
fa-info@sg.pepperl-fuchs.com