




---

 PRODUCT-DETAILS

# L-14-120-9-C

## CABLE TIE 120LB 14IN NAT NYLON 1-PC




---

**General Information**

Extended Product Type	L-14-120-9-C
Product ID	7TAG054410R0006
EAN	5414363128304
Catalog Description	CABLE TIE 120LB 14IN NAT NYLON 1-PC
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 381mm (15 Inches), Width of 7.7mm (0.3 Inch), Thickness of 1.8mm (0.07 Inch), Tensile Strength Rating of 534 Newtons (120 Pounds)

---

**Ordering**

EAN	5414363128304
UPC	728494911700
Country of Origin	United States (US)
Selling Unit of Measure	each

---

**Dimensions**

Product Net Width	0.3 in 7.7 mm
Product Net Depth / Length	15 in 381 mm

## Container Information

Package Level 1 Units	100 EA
Package Level 1 Width	152.4 mm 6 in
Package Level 1 Height	76.2 mm 3 in
Package Level 1 Depth / Length	508 mm 20 in
Package Level 2 Units	3000 EA
Package Level 2 Width	325.12 mm 12.8 in
Package Level 2 Height	345.44 mm 13.6 in
Package Level 2 Depth / Length	459.74 mm 18.1 in
Package Level 3 Units	63000 EA
Package Level 3 Width	0 mm 0 in
Package Level 3 Height	0 mm 0 in
Package Level 3 Depth / Length	0 mm 0 in

## Additional Information

Brand / Label	Catamount
Bundle Diameter	4 in 101.6 mm
Color	Natural
Effective Date	19960215
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Product Name	Other
Product Type	Heavy Duty
RoHS Date	9AKK107992A8798
Standards	UL E49405
Tensile Strength	120 lb 534 N
Thickness	0.07 in 1.8 mm

## Certificates and Declarations

Data Sheet, Technical Information	TDS000538
-----------------------------------	-----------

## Classifications

ETIM 6	EC000046 - Cable tie
--------	----------------------

ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

---

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

