<u>Home</u> > <u>DEMO/PRODUCT DISPLAY CASES</u> > 1412 LIGHT-DUTY ABS CASE



Colors Available: BLACK

Product Code: 1412

Description

Light-duty, black, scuff resistant molded ABS thermoplastic forms the tough shell of these cases. Extruded aluminum rim, drawbolt key lock, and strong molded handle. Case comes with our standard pickn-pluck cubed foam.

Technical Specs

- Interior Dimensions (L x W x D): 12" x 8" x 5"
- Exterior Dimensions (L x W x D): 12 1/2" x 10" x 5 1/8"
- Body Depth: 3"
- Shipping Dimensions (L x W x D): 13" x 11" x 6"
- Shipping Weight: 3.00 lbs.

FOAM-FILLED CASES

Blow Molded Cases

Meet Platt's low cost solution to "Make-Your-Own" case needs.

These cases are foam-filled and manufactured from prime, high-density polyethylene, with double wall construction. The textured exteriors resist dents, cracking and scuffs. The shells are unaffected by extreme temperatures.

The hardware features mechanical latches that are field replaceable and a mechanical hinge system that is made to last.

All cases meet U.S. 94B Specifications as an electrical insulator and are impervious to chemical attack.

Platt#	Ins	side Di	m.	Out	side Di	im.
	L	W	D	L	W	D
	2		Ð			-
102	55/8"	35/8"	$1^{3}/_{8}$ "	6 ¹ / ₂ "	4 ¹ / ₂ "	$1^{11}/_{16}$ "
103	55/8"	35/8"	$1^{7}/_{8}$ "	6 ¹ / ₂ "	4 ¹ / ₂ "	2 ¹ / ₈ "
104	7 ¹ / ₈ "	4"	$1^{7/16}$ "	8"	5"	1 ³ /4"
105	7 ¹ / ₈ "	4"	$1^{15}/_{16}$ "	8"	5"	2 ¹ /8"
106	7 ¹ / ₂ "	5"	$1^{11}/_{16}$ "	8 ¹ / ₂ "	6"	2"
107	$7^{1/2}$ "	5"	$2^{3}/_{16}$ "	8 ¹ / ₂ "	6"	$2^{1/2}$ "
108	7 ¹ / ₂ "	5"	$2^{11}/_{16}$ "	8 ¹ / ₂ "	6"	3"
202	8 ¹ / ₂ "	5 ¹ / ₂ "	$1^{11}/_{16}$ "	$9^{1/2}$ "	$6^{1/2}$ "	2"
203	8 ¹ / ₂ "	5 ¹ / ₂ "	$2^{11}/_{16}$ "	9 ¹ / ₂ "	6 ¹ / ₂ "	$2^{1/2}$ "
204	8 ¹ / ₂ "	5 ¹ / ₂ "	$2^{11}/_{16}$ "	9 ¹ / ₂ "	6 ¹ / ₂ "	3"
205	8 ¹ / ₂ "	5 ¹ / ₂ "	33/16"	9 ¹ / ₂ "	6 ¹ / ₂ "	31/2"
206	9 ¹ / ₂ "	6"	$1^{15}/_{16}$ "	10 ¹ / ₂ "	7"	24/16"
207	9 ¹ / ₂ "	6"	$2^{11}/_{16}$ "	10 ¹ /2"	7"	3"
208	9 ¹ / ₂ "	6"	37/16"	9 ¹ / ₂ "	7"	33/4"
302	10 ³ / ₁₆ "	6 ¹ / ₂ "	$1^{15}/_{16}$ "	$11^{5/16}$ "	7 ¹ / ₂ "	2 ¹ / ₄ "
303	103/16"	6 ¹ / ₂ "	$2^{11}/_{16}$ "	115/16"	7 ¹ / ₂ "	3"
304	10 ³ / ₁₆ "	6 ¹ / ₂ "	37/16"	115/16"	7 ¹ / ₂ "	33/4"
305	11"	7" 7"	$1^{15}/_{16}$ "	12"	8"	2 ¹ / ₄ "
306 307	11"	7"	$2^{11}/_{16}$ "	12"	8"	3"
	11"	7"	3 ⁷ / ₁₆ "	12"	8"	$3^{3}/_{4}$ "
308 309	12 ³ /8"	67/8"	27/8"	13 ¹ / ₂ "	8"	$3^{1/4}$ "
309 310	$12^{3}/8''$	$6^{7}/8''$	$4^{1/_{16}}$ "	$13^{1/2}$ "	8" o"	$4^{3}/_{8}''$
402	$12^{3}/_{8}''$	$6^{7}/8''$	$5^{3}/_{16}$ "	13 ¹ / ₂ "	8" 9"	5 ¹ / ₂ " 3 ¹ / ₄ "
402	$12^{3}/8''$	$7^{7}/8''$	$2^{7}/8''$	13 ¹ /2" 13 ¹ /2"	9 9"	$\frac{5'}{4}$ $\frac{4^3}{8''}$
403	$12^{3}/8''$	$7^{7}/8''$	4" 5 ¹ / ₈ "	13 ¹ / ₂ "	9 9"	$\frac{4}{2}$
405	$12^{3}/_{8}''$	7 ⁷ /8"		$13^{1/2}$ $13^{1/2}$ "	9 10"	$3^{1/2}$
405	12 ³ / ₈ " 12 ³ / ₈ "	8 ⁷ /8" 8 ⁷ /8"	2 ⁷ / ₈ " 4"	$13^{1}/_{2}$ $13^{1}/_{2}$ "	10"	$\frac{5^{7}}{4^{3}}$
407	$12^{3}/8$ $12^{3}/8''$	8 ⁷ / ₈ "	4 5 ¹ / ₈ "	13 ¹ / ₂ "	10"	4 ⁻ /8 5 ¹ /2"
503	12/8 $13^7/8''$	8 ⁷ /8"	$\frac{378}{2^{7}/8}$	15 ⁷ ₂ 15"	10"	$3^{1/2}$
503	137/8 137/8"	8 ⁷ / ₈ "	278 4"	15"	10"	$4^{3}/_{8}$ "
505	137/8"	8 ⁷ / ₈ "	4 5 ¹ / ₈ "	15"	10"	5 ¹ /2"
506	137/8 137/8"	$9^{7}/8$	$\frac{3}{8}$ $2^{7}/8''$	15"	11"	$3^{1/4}$
507	13 ⁷ /8"	9 ⁷ /8"	4"	15"	11"	$4^{3}/8''$
508	137/8"	9 ⁷ / ₈ "	- 5 ¹ / ₈ "	15"	11"	5 ¹ /2"
604	$13^{7}/_{8}$	$10^{3}/_{8}$ "	2 ⁷ / ₈ "	16"	$11^{1/2}$ "	$3^{1/4}$ "
605	147/8"	$10^{3}/_{8}$ "	4"	16"	11 ¹ / ₂ "	$4^{3}/_{8}$ "
606	147/8"	103/8"	5 ¹ / ₈ "	16"	111/2"	5 ¹ / ₂ "
607	157/8"	$10^{7}/8''$	$2^{7}/8''$	17"	12"	31/4"
608	15 ⁷ /8"	107/8"	4"	17"	12"	4 ³ / ₈ "
609	157/8"	107/8"	5 ¹ /8"	17"	12"	5 ¹ / ₂ "
610	167/8"	$11^{11}/_{16}$ "	37/8"	18"	13"	4 ¹ / ₄ "
611	167/8"	1111/16"	5"	18"	13"	5 ³ / ₈ "
612	167/8"	1111/16"		18"	13"	6 ¹ / ₂ "
705	177/8"	$12^{11}/_{16}$ "	4 ³ / ₈ "	19"	14"	43/4"
706	177/8"	123/4"	5 ³ / ₄ "	19"	14"	6 ¹ / ₄ "
707	$17^{7}/_{8}$ "	123/4"	$7^{1}/_{8}$ "	19"	14"	71/2"
802*	215/16"	145/16"	65/8"	23"	16"	7"
803*	215/16"	145/16"	9 ⁵ /8"	23"	16"	10"
902*	2513/16"	145/16"	65/8"	27 ¹ / ₂ "	16"	7"
903*	2513/16"	145/16"	95/8"	27 ¹ / ₂ "	16"	10"
			"W" dim t Engineer			e.

Please contact Platt Engineering for info



Light-Duty ABS Cases

This series has been a mainstay of Platt's rugged case line for over 25 years. Light-duty, black, scuff resistant molded ABS thermoplastic forms the tough shell of these cases. Foam-filled, extruded aluminum rim, drawbolt key locks and strong molded handle.

* 1425 has a medium-duty valance

Platt#	1	nside Dim	1.	Body Depth
	L	W	D	
1410	10"	7"	5"	3"
1412	12"	8"	5"	3"
1414	12"	11"	5"	3"
1416	16"	12"	5"	3"
1426	16"	12"	7"	4"
1705	17"	11"	5"	3"
1419	18"	13"	5"	3"
1425*	18"	13"	7"	4"

Medium-Duty ABS Cases



Medium-Duty ABS Cases

Modern look of heavy-duty grained ABS with extruded aluminum frame, these foam-filled cases have a deluxe golf grip handle, cast chrome key locks and piano hinge.

* 2005 has a light-duty valance.

4

Platt#	In	Inside Dim. Body Depth		
	L	W	D	
2005*	20"	14"	5"	3"
2007	20"	14"	7"	4"
2207	22"	16"	7"	4"
2407	24"	18"	7"	4"
2807	28"	20"	7"	4"



Heavy-Duty Polyethylene Cases With Stylish Parallel Rib Pattern Without Foam

The exterior shell is tough impact-resistant HMW polyethylene. Heavy-duty aluminum rim with gasket, black trim, molded handle, full-length piano hinge and cast chrome key locks.

ALL PARALLEL RIB CASES FURNISHED WITHOUT FO.	AM.
--	-----

Platt#	Inside Dim.			Body Depth
	L	W	D	
141106PR	141/8"	101/2"	6"	31/2"
171206PR	17 ¹ /4"	12 ¹ / ₂ "	6"	31/2"
201675PR	193/4"	15 ³ / ₄ "	7 ¹ / ₂ "	41/2"
221006PR	22"	10"	6"	31/2"
241609PR	233/4"	15 ³ /4"	9"	41/2"
251709PR	25"	16 ³ / ₄ "	9"	4 ³ / ₄ "